

**TOWN OF MINTO
CLAIR RIDGE ESTATES SUBDIVISION
DEVELOPMENT
(PALMERSTON), ONTARIO**

**FUNCTIONAL SERVICING &
STORMWATER MANAGEMENT REPORT**

JULY 2017



CLAIR RIDGE ESTATES SUBDIVISION DEVELOPMENT
TOWN OF MINTO (PALMERSTON), ONTARIO
FUNCTIONAL SERVICING & STORMWATER MANAGEMENT
REPORT

A6814A

TABLE OF CONTENTS

<u>SECTION</u>	<u>DESCRIPTION</u>	<u>PAGE</u>
1.0	INTRODUCTION	1
2.0	EXISTING CONDITIONS	1
3.0	PROPOSED LAND USE	1
	3.1 General Site Layout	1
	3.2 Grading/Drainage	1
4.0	DESIGN CRITERIA	2
5.0	STORMWATER MANAGEMENT STRATEGY	2
	5.1 Runoff Modelling	3
	5.2 Quantity Control	3
	5.3 Quality Control	4
6.0	SEDIMENT AND EROSION CONTROL	4
7.0	SERVICING	5
	7.1 Municipal Water Services	5
	7.2 Municipal Sanitary Services	5
8.0	CONCLUSIONS	5

LIST OF FIGURES

- 1 Pre-Development Catchment Plan
- 2 Post-Development Catchment Plan

APPENDICES

- A Input Parameters
- B SWM Design Details
- C Modelling Output

DRAWINGS

Draft Plan of Subdivision (Pocket)

General Grading Plan (Pocket)

CLAIR RIDGE ESTATES SUBDIVISION DEVELOPMENT

TOWN OF MINTO (PALMERSTON), ONTARIO

FUNCTIONAL SERVICING & STORMWATER MANAGEMENT REPORT

1.0 INTRODUCTION

The following Functional Servicing Report is prepared in support of a submission for Draft Plan approval of Clair Ridge Estates Subdivision Development in the Town of Minto (Palmerston). This report is intended to demonstrate the functionality of the proposed services including water/sanitary layout and the Stormwater Management (SWM) strategy to mitigate potential impacts of the development on the receiving storm drainage system.

2.0 EXISTING CONDITIONS

The subject site, in the former Town of Palmerston, is located on the east side of Toronto Street and the north side of Grand Trunk Street. The subject property covers approximately 3.286 hectares and is currently zoned for agricultural use.

The overall site slopes from south at Grand Trunk Street to the site boundary east of Toronto Street. The site slopes overland from 1% to 2% and accepts external drainage from the east cropped field. This external area will be directed around the development so as to maintain existing drainage patterns. Figure 1 illustrates existing drainage patterns of the site.

3.0 PROPOSED LAND USE

3.1 General Site Layout

The proposed development consists of 28 detached style lots (2.118ha.), Stormwater Management (SWM) Block (0.263 ha.) and local streets (0.905 ha.). Streets will be an urban standard configuration complete with curb/gutter and storm sewers to collect and convey runoff. The development will be serviced using municipal sewage and water. The proposed subdivision configuration is shown in the plan drawings located in the pocket of this report. The rear yards of an additional three lots fronting Prospect Street (0.114 ha) will be serviced by the subject site's SWM block; refer to Section 5.0 for details.

3.2 Grading/Drainage

Preliminary grading design has been completed to direct as much of the developed site to the SWM block for treatment and peak flow attenuation as possible. Proposed drainage patterns for the site are illustrated on the General Grading Plan located in the pocket of this report.

The street pattern consists of a single looped roadway complete with one entrance. The roads will be sloped such that stormwater directed from the lots onto the street is conveyed to the SWM block located at the northwest corner of the site. Minor events (i.e. up to 5 Year event) will be accommodated by proposed storm sewers, major events up to the 100 Year event will be routed overland through the streets and rear yards swales. All developed road runoff will be directed to the SWM facility.


TOWN OF MINTO

PROPOSED CONSTRUCTION OF CLAIR RIDGE ESTATES (PALMERSTON)



TOWN OF MINTO

PROPOSED CONSTRUCTION OF CLAIR RIDGE ESTATES (PALMERSTON)



LEGEND:

200
0.30 CATCHMENT ID
AREA IN HECTARES

MAJOR OVERLAND FLOW ROUTE

PROPOSED STORM SEWER
PROPOSED STRUCTURE
DIRECTION OF FLOW
EXISTING STORM SEWER

Figure 2

POST-DEVELOPMENT CATCHMENT PLAN

N.T.S.
MAY 2017
A6814

The SWM facility will provide quantity and quality control of site runoff prior to releasing it to the existing storm sewer system located within the Toronto Street right-of-way.

4.0 DESIGN CRITERIA

It is the intention of this development to have no net impact on the downstream storm drainage system, as such the following SWM criteria are proposed:

- Provide Quantity Control such that peak runoff rates are maintained to less than existing levels for storm events from 5 Year to 100 Year return periods.
- Provide Quality Control of site runoff to ensure that sediment and pollutants are removed to the extent feasible prior to release into the existing storm sewer system. Ministry of the Environment “Basic Protection” treatment level will be used for this in the design of this SWM facility.
- Ensure that SWM facility bottom elevation is set above the high water table within the designated SWM Block 29 in order to prevent groundwater intrusion.
- Provide measures during construction which will contain sediment on the site.

5.0 STORMWATER MANAGEMENT STRATEGY

The portion of the development which conveys run-off to the SWM facility is 3.14 hectares in size and includes all catchments with the exception of 211, as indicated on Figure 2. Roads complete with storm sewers and curb/gutter will collect and convey runoff to the SWM block located at the north-western corner of the development.

External drainage to the east will be intercepted by the development’s east rear lots and directed naturally to the north and south so as to maintain existing drainage patterns. As mentioned previous, the rear of three additional lots fronting Prospect Street (House numbers 685 , 695, and 705) will be included as part of the contributing area to the SWM facility. Drainage from these lots will be conveyed via rear yard swales to the storm sewer system.

A summary of the SWM strategy is provided below:

- Site grading will maintain runoff characteristics to the extent possible.
- Roof leaders will be directed to grass areas to promote infiltration and polishing.
- Quantity Control will be provided using an “end-of pipe” dry pond facility located in a Block 29 designated specifically for SWM purposes. This facility will be designed to provide “Post-to-Pre” hydrograph attenuation for storm events from 5 Year to 100 Year return periods.
- Quality Control requirement is assumed to be “Basic” Protection given that the receiver is an existing storm sewer system. Based on this, we propose to provide a SWM facility with a Dry Pond configuration, this facility will be incorporated into the Quantity Control facility. It should be noted that providing a Wet Pond or Wetland configuration is not recommended for this development as the contributing area is likely too small to support/maintain a permanent pool.

- Provide sediment and erosion controls which will contain sediment on site during construction.

The proposed SWM strategy will be implemented in conformance with the Ministry of Environment and Climate Change and the Maitland Valley Conservation Authority's SWM Guidelines.

5.1 Runoff Modelling

Preliminary design of the SWM facility is necessary as part of the Draft Plan submission to confirm that the size of the proposed SWM block is sufficient to accommodate the required SWM facilities. The MIDUSS computer model was used to generate runoff flows and assist in hydraulic design of sewers, channels and SWM facilities.

A pre-development model was prepared to establish original runoff flows from the site. This model reflects the land use prior to development.

A post development model was prepared to establish runoff flows for the proposed development. This model reflects the post development land use and grading, and includes provisions for the proposed Dry Pond.

The post development model has been discretized into smaller catchments to allow for detailed design of sewers, overland flow routes and the SWM facility. The difference in overall flows generated from the detailed model is shown in Table 1, below.

Appendix A provides rainfall data and catchment characteristic parameters. Hydrologic model output has been included in Appendix C.

Rainfall events were generated using rainfall data from the Mount Forest Weather Station and the 3.0 hour Chicago rainfall distribution.

5.2 Quantity Control

As discussed earlier, the increase in peak flows resulting from this development are expected to be significant due to the increase in imperviousness. However, as indicated by the modelling, the proposed SWM facility will provide sufficient storage such that peak flows from the 100 Year event can be attenuated to existing levels. In addition to controlling major events, the outlet structure will be configured such that infrequent and intermediate runoff events can also be attenuated to existing levels. The facility configuration is as follows:

- Dimensions at 100 Year level are irregular, approximately 38 m x 45 m.
- Maximum depth of 1.3 m.
- Three stage outlet utilizing an orifice control, CSP pipe and an overflow weir.
- Maximum Storage is approximately 963 m³.

The General Grading Plan provides a layout of the proposed SWM facility within Block 29.

Results of the hydrologic modelling are summarized in Table 1. This demonstrates that the proposed facility can control peak flow rates to levels below existing, thereby, mitigating any potential impacts on the existing downstream storm system.

Table 1: Modelling Summary					
DESCRIPTION	RUNOFF (m ³ /s)				
	5 YEAR	10 YEAR	25 YEAR	50 YEAR	100 YEAR
Site Runoff Peak: Pre-Development	0.062	0.082	0.136	0.177	0.216
Site Runoff Peak: Post Development	0.032	0.036	0.068	0.123	0.119
SWM Facility WSEL (m)	402.152	402.191	402.245	402.319	402.364
SWM Facility Storage Volume Utilized (m ³)	563.80	598.90	649.10	720.80	765.5

During major storm events exceeding the 100 year storm, flows will overtop the pond at an elevation of 402.45 metres via a 2.0 metre wide weir structure and conveyed overland to Toronto Street roadway via 0.30 metre deep ditch. The ditches capacity exceeds the 100 year storm event and ditch capacity calculations are found in Appendix B.

5.3 Quality Control

As indicated, Basic Level (as defined by the MOECC Guidelines) water quality treatment of storm runoff from the proposed development will be provided by a continuous flow Dry Pond SWM facility.

Although, other facility configurations (i.e. artificial wetland/wetpond) could provide similar or better treatment, the small size of the contributing area may not be sufficient to maintain the permanent pool of such a facility.

Based on the total contributing area of 3.40 ha and imperviousness of 41%, a storage volume requirement of 108 m³/ha is applicable which equates to 367 m³ of required storage volume. This storage requirement will be accommodated within the Quantity Control facility and the outlet structure configured to provide the minimum desired detention time based on the use of the minimum 75 millimetre orifice. For pond maintenance purposes, a forebay will be constructed just upstream of the pond inlet in order to remove larger sediment before entering the pond thus, lessening the impact on the pond facility and control structure. SWM design details are contained in Appendix B.

6.0 SEDIMENT AND EROSION CONTROL

Prior to stripping topsoil from the site, silt fence will be erected around the entire perimeter of the site to contain sediment laden runoff on-site. Following rough grading of the site and construction of the storm sewer system, additional controls will be installed to ensure that sediment is contained and erosion minimized. Controls will include the following:

- Cut-off swales
- Filter berms
- Silt fencing
- Straw bale checks
- Sedimentation basin

A detailed Sediment and Erosion Control Drawing/Design will be completed as part of detailed design once grading details for the development have been finalized.

It is intended to utilize the proposed SWM facility as a sediment basin until the site has been stabilized.

Controls will be monitored regularly by the resident inspector and maintained, or modified, as required.

7.0 SERVICING

At this time, 28 lots have been allocated to this development which is expected to generate 5,180 l/d. Therefore, a review of water and sewage servicing options is required as part of the provincial policy statement. Servicing options considered for this development will include extension of municipal services to the proposed area. All roads and services will meet the municipal standards criteria set out by the Town of Minto.

7.1 **Municipal Water Services**

The water services for the proposed development will be connected and looped to the existing 150 mm diameter watermain located at the intersection of Prospect Street and Street A and the Derby Street right-of-way and Toronto Street intersection. Based on a Reserve Capacity Calculation for Water Supply, determined by the Town of Minto, there is currently approximately 45,695 l/d available within Palmerston. Therefore, there is sufficient water capacity for the addition of the proposed development.

7.2 **Municipal Sanitary Services**

The sewer was configured through the proposed development so as to align with the proposed road configuration. Similar to the watermain extensions, sanitary services will connect at the intersection of Prospect Street and Street A and the Derby Street right-of-way and Toronto Street intersection. Based on a Reserve Capacity Calculation for Water Supply, determined by the Town of Minto, there is currently approximately 45,695 l/d available within Palmerston. Therefore, there is sufficient sewage treatment capacity for the addition of the proposed development.

8.0 CONCLUSIONS

Based on the information contained in this report, we conclude the following:

- Proposed quality treatment measures will provide adequate treatment of runoff from the development, thereby, mitigating any potential negative impacts to the existing downstream sewer and drainage system.
- Preliminary design indicates that the SWM facility footprint can be accommodated within Block 29.
- Erosion will be minimized and sediment contained on site through the installation of controls as outlined within this report.
- There is adequate Sanitary and Water Reserve Capacities to accommodate the proposed development.

TRITON ENGINEERING SERVICES LIMITED

A handwritten signature in black ink, appearing to read "Chris Clark". The signature is fluid and cursive, with the first name "Chris" and the last name "Clark" written in a single continuous stroke.

Chris Clark, M.A.Sc, P.Eng.

Appendix A

Input Parameters

Hydrologic Modelling Parameters			
Catchment I.D.	Area	% Imp.	SCS CN
Pre - Development Conditions			
101	3.10	0	78
102	0.30	0	78
Post Development Conditions			
200	0.52	43	78
201	0.46	48	78
202	0.41	42	78
203	0.28	52	78
204	0.24	30	78
205	0.32	39	78
206	0.21	5	78
207	0.24	51	78
208	0.18	45	78
209	0.02	80	78
210	0.26	38	78
211	0.26	40	78

Design Storm Parameters				
Design Storm	a	b	c	Duration (hrs)
5 - Year	955.420	7.820	0.807	3
10 - Year	1122.53	9.189	0.817	3
25 - Year	1387.380	9.697	0.820	3
50 - Year	1644.39	11.085	0.829	3
100 - Year	1720.730	10.674	0.822	3

Appendix B

SWM Design Details

Clair Ridge Estates Subdivision

SWM Facility Design Calculations

Dry Pond SWM Facility Forebay Design

NOTE: **Orange** numbers can be adjusted. All other numbers update automatically

OUTFLOW DESIGN

Control Flow Rate @ (m) **1.2** Flow = **0.0132** m³/s

DESIGN

To Solve	Distance	L:W Ratio	Qp (m ³ /s)	Vs
Distance	9.38083	2.00	0.0132	0.0003
Ratio	9.3808	2.00	0.0132	0.0003
Flow Rate (Qp)	14.154	4.55	0.013209	0.0003

RESULTS:

Forebay Length	9.3808
Forebay Width	4.6904

CHECKS

Dist	Inlet Flow Rate (Q) (m/s)	Depth of Forebay	Desired Velocity in Fore
14.1538	1.38	1.56	0.5
Deep Zone Bottom Width	Dist		
1.77	14.1538		

Clair Ridge Estates Subdivision

SWM Facility Design Calculations

Dry Pond SWM Facility Stage-Storage-Discharge Relationship

Rating Curve			Volume Estimation				Drawdown	
Elevation (m)	Discharge (m ³ /s)	Act. Storage (m ³)	Elevation (m)	Depth (1) (m)	Volume (m ³)		Increment	Accumulated hours
					Increment	Accumulated		
401.25	0.0000	0.00	401.25	0.000	0	0.00	0	0
401.35	0.0037	27.30	401.35	0.100	27	27.30	4.08	4.084
401.45	0.0053	76.40	401.45	0.200	49	76.40	3.04	7.127
401.55	0.0064	130.20	401.55	0.300	54	130.20	2.56	9.685
401.65	0.0074	188.90	401.65	0.400	59	188.90	2.35	12.038
401.75	0.0083	252.70	401.75	0.500	64	252.70	2.25	14.292
401.85	0.0091	321.70	401.85	0.600	69	321.70	2.20	16.495
401.95	0.0098	396.10	401.95	0.700	74	396.10	2.18	18.679
402.05	0.0105	476.10	402.05	0.800	80	476.10	2.19	20.866
402.15	0.0111	561.70	402.15	0.900	86	561.70	2.20	23.063
402.25	0.0650	653.20	402.25	1.000	92	653.20	0.67	23.731
402.35	0.1371	750.70	402.35	1.100	98	750.70	0.27	23.999
402.45	0.1433	854.30	402.45	1.200	104	854.30	0.21	24.204
402.55	0.4554	963.00	402.55	1.300	109	963.00	0.10	24.305

Calculation of Overflow Weir			Pipe and DICB Outlet Flow						
Elevation (m)	Weir (m ³ /s)	Total Weir FLOW (m ³ /s)	Elevation (m)	Orifice (m ³ /s)	DICB (m ³ /s)	Pipe (m ³ /s)	Total (m ³ /s)	Parameters	
401.25	0.000	0.000	401.25	0.0000	0.000	0.0000	0.0000	Bottom Pond	401.250
401.35	0.000	0.000	401.35	0.0037	0.000	0.0077	0.0037	Orifice Elev (m)	401.250
401.45	0.000	0.000	401.45	0.0053	0.000	0.0282	0.0053	Orifice dia (mm)	75.000
401.55	0.000	0.000	401.55	0.0064	0.000	0.0579	0.0064	Orifice Coef	0.600
401.65	0.000	0.000	401.65	0.0074	0.000	0.0857	0.0074		
401.75	0.000	0.000	401.75	0.0083	0.000	0.0933	0.0083	Pipe Invert Elev (m)	401.250
401.85	0.000	0.000	401.85	0.0091	0.000	0.1014	0.0091	Pipe dia. (mm)	300.000
401.95	0.000	0.000	401.95	0.0098	0.000	0.1093	0.0098		
402.05	0.000	0.000	402.05	0.0105	0.000	0.1167	0.0105	DICB Top Elev	402.350
402.15	0.000	0.000	402.15	0.0111	0.000	0.1238	0.0111	DICB Invert Elev (6:1)	402.200
402.25	0.000	0.000	402.25	0.0117	0.053	0.1306	0.0650	Weir Coeff.	0.601
402.35	0.000	0.000	402.35	0.0123	0.1597	0.1371	0.1371	Weir Width (m)	0.600
402.45	0.000	0.000	402.45	0.0129	0.2662	0.1433	0.1433		
402.55	0.306	0.306	402.55	0.0134	0.373	0.1493	0.4554	Overflow Weir Elev	402.450
								Weir Coeff.	1.670
								Weir Width (m)	2.000
								Weir Side Slope (x:1)	50.000
								* CONTROL STRUCTURE	

pipe rating curve from CVM

HW Elev.	Discharge (m ³ /s)
401.25	0
401.35	0.0077
401.45	0.0282
401.55	0.0579
401.65	0.0857
401.75	0.0933
401.85	0.1014
401.95	0.1093
402.05	0.1167
402.15	0.1238
402.25	0.1306
402.35	0.1371
402.45	0.1433
402.55	0.1493

```

"               A6814A_Pond Outlet Ditch.out
"   MIDUSS Output ----->"
"   MIDUSS version                               Version 2.07 rev. 385"
"   MIDUSS created                               August-08-05"
"   10 Units used:                               ie METRIC"
"   Job folder:                                O:\Private Development\
"   A6814A - Sinclair Subdivision\Design\Storm\SWM\MIDUSS JULY 2017"
"   Output filename:                            A6814A_Pond Outlet Ditch.out"
"   Licensee name:                              CPC"
"   Company                                    Triton Engineering Services Ltd."
"   Date & Time last used:                      20/07/2017 at 5:55:16 PM"
" 52 CHANNEL DESIGN"
"   0.230 User defined steady flow      c.m/sec"
"   0.040 Manning 'n'"
"   0. Cross-section type: 0=trapezoidal; 1=general"
"   0.000 Basewidth      metre"
"   3.000 Left bank slope"
"   3.000 Right bank slope"
"   0.300 Channel depth      metre"
"   1.600 Gradient      %"
"   Depth of flow                0.299      metre"
"   Velocity                    0.859      m/sec"
"   Channel capacity             0.233      c.m/sec"
"   Critical depth              0.260      metre"

```

Appendix C

Modelling Output

```

A6814A_5yr_Pre_v2.out
"      MIDUSS Output ----->"
"      MIDUSS version                      Version 2.07 rev. 385"
"      MIDUSS created                      August-08-05"
"      10  Units used:                      ie METRIC"
"      Job folder:                        O:\Private Development\
"      A6814A - Sinclair Subdivision\Design\Storm\SWM\MIDUSS FEB 2016"
"      Output filename:                    A6814A_5yr_Pre_v2.out"
"      Licensee name:                      CPC"
"      Company                            Triton Engineering Services Ltd."
"      Date & Time last used:              11/07/2017 at 2:27:51 PM"
" 31      TIME PARAMETERS"
"      5.000 Time Step"
"      180.000 Max. Storm length"
"      1500.000 Max. Hydrograph"
" 32      STORM Chicago storm"
"      1 Chicago storm"
"      955.420 Coefficient A"
"      7.820 Constant B"
"      0.807 Exponent C"
"      0.400 Fraction R"
"      180.000 Duration"
"      1.000 Time step multiplier"
"      Maximum intensity                  121.935 mm/hr"
"      Total depth                        41.919 mm"
"      6 005hyd Hydrograph extension used in this file"
" 33      CATCHMENT 101"
"      1 Triangular SCS"
"      1 Equal length"
"      1 SCS method"
"      101 No description"
"      0.000 % Impervious"
"      0.300 Total Area"
"      45.000 Flow length"
"      1.200 Overland Slope"
"      0.300 Pervious Area"
"      45.000 Pervious length"
"      1.200 Pervious slope"
"      0.000 Impervious Area"
"      45.000 Impervious length"
"      1.200 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.271 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
"      98.000 Impervious SCS Curve No."
"      0.878 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"      0.008 0.000 0.000 0.000 c.m/sec"
"      Catchment 101 Pervious Impervious Total Area "
"      Surface Area 0.300 0.000 0.300 hectare"
"      Time of concentration 29.229 3.118 29.229 minutes"
"      Time to Centroid 137.510 92.193 137.510 minutes"
"      Rainfall depth 41.919 41.919 41.919 mm"
"      Rainfall volume 125.76 0.00 125.76 c.m"
"      Rainfall losses 30.571 5.733 30.571 mm"
"      Runoff depth 11.347 36.185 11.347 mm"
"      Runoff volume 34.04 0.00 34.04 c.m"
"      Runoff coefficient 0.271 0.878 0.271 "
"      Maximum flow 0.008 0.000 0.008 c.m/sec"
" 40      HYDROGRAPH Add Runoff "

```

```

"          A6814A_5yr_Pre_v2.out
"          4    Add Runoff "
"              0.008      0.008      0.000      0.000"
" 33    CATCHMENT 102"
"          1    Triangular SCS"
"          1    Equal length"
"          1    SCS method"
"          102   No description"
"          0.000   % Impervious"
"          3.100   Total Area"
"          90.000   Flow length"
"          1.200   Overland Slope"
"          3.100   Pervious Area"
"          90.000   Pervious length"
"          1.200   Pervious slope"
"          0.000   Impervious Area"
"          90.000   Impervious length"
"          1.200   Impervious slope"
"          0.250   Pervious Manning 'n'"
"          78.000   Pervious SCS Curve No."
"          0.271   Pervious Runoff coefficient"
"          0.100   Pervious Ia/S coefficient"
"          7.164   Pervious Initial abstraction"
"          0.015   Impervious Manning 'n'"
"          98.000   Impervious SCS Curve No."
"          0.878   Impervious Runoff coefficient"
"          0.100   Impervious Ia/S coefficient"
"          0.518   Impervious Initial abstraction"
"              0.062      0.008      0.000      0.000 c.m/sec"
"          Catchment 102      Pervious      Impervious      Total Area "
"          Surface Area      3.100      0.000      3.100      hectare"
"          Time of concentration      44.303      4.726      44.303      minutes"
"          Time to Centroid      156.604      94.585      156.604      minutes"
"          Rainfall depth      41.919      41.919      41.919      mm"
"          Rainfall volume      1299.47      0.00      1299.47      c.m"
"          Rainfall losses      30.572      5.436      30.572      mm"
"          Runoff depth      11.346      36.483      11.346      mm"
"          Runoff volume      351.74      0.00      351.74      c.m"
"          Runoff coefficient      0.271      0.878      0.271      "
"          Maximum flow      0.062      0.000      0.062      c.m/sec"

```

```

A6814A_10yr_Pre_v2.out
"      MIDUSS Output ----->"
"      MIDUSS version                      Version 2.07 rev. 385"
"      MIDUSS created                      August-08-05"
"      10  Units used:                      ie METRIC"
"      Job folder:                        O:\Private Development\
"      A6814A - Sinclair Subdivision\Design\Storm\SWM\MIDUSS FEB 2016"
"      Output filename:                    A6814A_10yr_Pre_v2.out"
"      Licensee name:                      CPC"
"      Company                            Triton Engineering Services Ltd."
"      Date & Time last used:              11/07/2017 at 2:47:23 PM"
" 31      TIME PARAMETERS"
"      5.000  Time Step"
"      180.000 Max. Storm length"
"      1500.000 Max. Hydrograph"
" 32      STORM Chicago storm"
"      1  Chicago storm"
"      1122.530 Coefficient A"
"      9.189  Constant B"
"      0.817  Exponent C"
"      0.400  Fraction R"
"      180.000 Duration"
"      1.000  Time step multiplier"
"      Maximum intensity                    128.408  mm/hr"
"      Total depth                        46.364  mm"
"      6  010hyd  Hydrograph extension used in this file"
" 33      CATCHMENT 101"
"      1  Triangular SCS"
"      1  Equal length"
"      1  SCS method"
"      101  No description"
"      0.000  % Impervious"
"      0.300  Total Area"
"      45.000  Flow length"
"      1.200  Overland Slope"
"      0.300  Pervious Area"
"      45.000  Pervious length"
"      1.200  Pervious slope"
"      0.000  Impervious Area"
"      45.000  Impervious length"
"      1.200  Impervious slope"
"      0.250  Pervious Manning 'n'"
"      78.000  Pervious SCS Curve No."
"      0.299  Pervious Runoff coefficient"
"      0.100  Pervious Ia/S coefficient"
"      7.164  Pervious Initial abstraction"
"      0.015  Impervious Manning 'n'"
"      98.000  Impervious SCS Curve No."
"      0.888  Impervious Runoff coefficient"
"      0.100  Impervious Ia/S coefficient"
"      0.518  Impervious Initial abstraction"
"      0.011  0.000  0.000  0.000 c.m/sec"
"      Catchment 101  Pervious  Impervious  Total Area  "
"      Surface Area  0.300  0.000  0.300  hectare"
"      Time of concentration  27.199  3.043  27.199  minutes"
"      Time to Centroid  134.058  91.764  134.058  minutes"
"      Rainfall depth  46.364  46.364  46.364  mm"
"      Rainfall volume  139.09  0.00  139.09  c.m"
"      Rainfall losses  32.506  5.878  32.506  mm"
"      Runoff depth  13.858  40.486  13.858  mm"
"      Runoff volume  41.58  0.00  41.58  c.m"
"      Runoff coefficient  0.299  0.888  0.299  "
"      Maximum flow  0.011  0.000  0.011  c.m/sec"
" 40      HYDROGRAPH Add Runoff "

```

```

"                                     A6814A_10yr_Pre_v2.out
"      4      Add Runoff "
"          0.011      0.011      0.000      0.000"
" 33      CATCHMENT 102"
"          1      Triangular SCS"
"          1      Equal length"
"          1      SCS method"
"          102     No description"
"          0.000     % Impervious"
"          3.100     Total Area"
"          90.000     Flow length"
"          1.200     Overland Slope"
"          3.100     Pervious Area"
"          90.000     Pervious length"
"          1.200     Pervious slope"
"          0.000     Impervious Area"
"          90.000     Impervious length"
"          1.200     Impervious slope"
"          0.250     Pervious Manning 'n'"
"          78.000     Pervious SCS Curve No."
"          0.299     Pervious Runoff coefficient"
"          0.100     Pervious Ia/S coefficient"
"          7.164     Pervious Initial abstraction"
"          0.015     Impervious Manning 'n'"
"          98.000     Impervious SCS Curve No."
"          0.888     Impervious Runoff coefficient"
"          0.100     Impervious Ia/S coefficient"
"          0.518     Impervious Initial abstraction"
"          0.082      0.011      0.000      0.000 c.m/sec"
"          Catchment 102      Pervious      Impervious      Total Area "
"          Surface Area      3.100      0.000      3.100      hectare"
"          Time of concentration      41.226      4.613      41.226      minutes"
"          Time to Centroid      151.750      94.049      151.750      minutes"
"          Rainfall depth      46.364      46.364      46.364      mm"
"          Rainfall volume      1437.29      0.00      1437.30      c.m"
"          Rainfall losses      32.509      5.523      32.509      mm"
"          Runoff depth      13.856      40.841      13.856      mm"
"          Runoff volume      429.52      0.00      429.53      c.m"
"          Runoff coefficient      0.299      0.888      0.299      "
"          Maximum flow      0.082      0.000      0.082      c.m/sec"

```

```

A6814A_Pre_25yr_v2.out
"      MIDUSS Output ----->"
"      MIDUSS version                      Version 2.07 rev. 385"
"      MIDUSS created                      August-08-05"
"      10  Units used:                      ie METRIC"
"      Job folder:                        O:\Private Development\"
"      A6814A - Sinclair Subdivision\Design\Storm\SWM\MIDUSS FEB 2016"
"      Output filename:                    A6814A_Pre_25yr_v2.out"
"      Licensee name:                      CPC"
"      Company                            Triton Engineering Services Ltd."
"      Date & Time last used:              11/07/2017 at 2:36:54 PM"
" 31      TIME PARAMETERS"
"      5.000 Time Step"
"      180.000 Max. Storm length"
"      1500.000 Max. Hydrograph"
" 32      STORM Chicago storm"
"      1 Chicago storm"
"      1387.380 Coefficient A"
"      9.697 Constant B"
"      0.820 Exponent C"
"      0.400 Fraction R"
"      180.000 Duration"
"      1.000 Time step multiplier"
"      Maximum intensity                    153.133 mm/hr"
"      Total depth                          56.404 mm"
"      6 025hyd Hydrograph extension used in this file"
" 33      CATCHMENT 101"
"      1 Triangular SCS"
"      1 Equal length"
"      1 SCS method"
"      101 No description"
"      0.000 % Impervious"
"      0.300 Total Area"
"      45.000 Flow length"
"      1.200 Overland Slope"
"      0.300 Pervious Area"
"      45.000 Pervious length"
"      1.200 Pervious slope"
"      0.000 Impervious Area"
"      45.000 Impervious length"
"      1.200 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.356 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
"      98.000 Impervious SCS Curve No."
"      0.907 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"      0.017 0.000 0.000 0.000 c.m/sec"
"      Catchment 101 Pervious Impervious Total Area "
"      Surface Area 0.300 0.000 0.300 hectare"
"      Time of concentration 23.201 2.821 23.201 minutes"
"      Time to Centroid 128.189 90.930 128.189 minutes"
"      Rainfall depth 56.404 56.404 56.404 mm"
"      Rainfall volume 169.21 0.00 169.21 c.m"
"      Rainfall losses 36.361 6.283 36.361 mm"
"      Runoff depth 20.042 50.120 20.042 mm"
"      Runoff volume 60.13 0.00 60.13 c.m"
"      Runoff coefficient 0.356 0.907 0.356 "
"      Maximum flow 0.017 0.000 0.017 c.m/sec"
" 40      HYDROGRAPH Add Runoff "

```

```

"                                     A6814A_Pre_25yr_v2.out
"      4      Add Runoff "
"      0.017      0.017      0.000      0.000"
" 33      CATCHMENT 102"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      102     No description"
"      0.000     % Impervious"
"      3.100     Total Area"
"      90.000     Flow length"
"      1.200     Overland Slope"
"      3.100     Pervious Area"
"      90.000     Pervious length"
"      1.200     Pervious slope"
"      0.000     Impervious Area"
"      90.000     Impervious length"
"      1.200     Impervious slope"
"      0.250     Pervious Manning 'n'"
"      78.000     Pervious SCS Curve No."
"      0.356     Pervious Runoff coefficient"
"      0.100     Pervious Ia/S coefficient"
"      7.164     Pervious Initial abstraction"
"      0.015     Impervious Manning 'n'"
"      98.000     Impervious SCS Curve No."
"      0.907     Impervious Runoff coefficient"
"      0.100     Impervious Ia/S coefficient"
"      0.518     Impervious Initial abstraction"
"      0.136      0.017      0.000      0.000 c.m/sec"
"      Catchment 102      Pervious      Impervious      Total Area "
"      Surface Area      3.100      0.000      3.100      hectare"
"      Time of concentration      35.166      4.276      35.166      minutes"
"      Time to Centroid      143.517      93.072      143.517      minutes"
"      Rainfall depth      56.404      56.404      56.404      mm"
"      Rainfall volume      1748.51      0.00      1748.51      c.m"
"      Rainfall losses      36.358      5.773      36.358      mm"
"      Runoff depth      20.045      50.631      20.045      mm"
"      Runoff volume      621.40      0.00      621.40      c.m"
"      Runoff coefficient      0.356      0.907      0.356      "
"      Maximum flow      0.136      0.000      0.136      c.m/sec"

```

```

A6814A_50yr_Pre_v2.out
"      MIDUSS Output ----->"
"      MIDUSS version                      Version 2.07 rev. 385"
"      MIDUSS created                      August-08-05"
"      10  Units used:                      ie METRIC"
"      Job folder:                        O:\Private Development\
"      A6814A - Sinclair Subdivision\Design\Storm\SWM\MIDUSS FEB 2016"
"      Output filename:                    A6814A_50yr_Pre_v2.out"
"      Licensee name:                      CPC"
"      Company                            Triton Engineering Services Ltd."
"      Date & Time last used:              11/07/2017 at 2:49:39 PM"
" 31      TIME PARAMETERS"
"      5.000  Time Step"
"      180.000 Max. Storm length"
"      1500.000 Max. Hydrograph"
" 32      STORM Chicago storm"
"      1  Chicago storm"
"      1644.390 Coefficient A"
"      11.085  Constant B"
"      0.829  Exponent C"
"      0.400  Fraction R"
"      180.000 Duration"
"      1.000  Time step multiplier"
"      Maximum intensity                    164.255  mm/hr"
"      Total depth                        63.286  mm"
"      6  050hyd  Hydrograph extension used in this file"
" 33      CATCHMENT 101"
"      1  Triangular SCS"
"      1  Equal length"
"      1  SCS method"
"      101  No description"
"      0.000  % Impervious"
"      0.300  Total Area"
"      45.000  Flow length"
"      1.200  Overland Slope"
"      0.300  Pervious Area"
"      45.000  Pervious length"
"      1.200  Pervious slope"
"      0.000  Impervious Area"
"      45.000  Impervious length"
"      1.200  Impervious slope"
"      0.250  Pervious Manning 'n'"
"      78.000  Pervious SCS Curve No."
"      0.390  Pervious Runoff coefficient"
"      0.100  Pervious Ia/S coefficient"
"      7.164  Pervious Initial abstraction"
"      0.015  Impervious Manning 'n'"
"      98.000  Impervious SCS Curve No."
"      0.916  Impervious Runoff coefficient"
"      0.100  Impervious Ia/S coefficient"
"      0.518  Impervious Initial abstraction"
"      0.023  0.000  0.000  0.000 c.m/sec"
"      Catchment 101      Pervious  Impervious  Total Area  "
"      Surface Area      0.300      0.000      0.300      hectare"
"      Time of concentration  21.565      2.736      21.564      minutes"
"      Time to Centroid      125.357      90.516      125.357      minutes"
"      Rainfall depth      63.286      63.286      63.286      mm"
"      Rainfall volume      189.86      0.00      189.86      c.m"
"      Rainfall losses      38.651      6.499      38.651      mm"
"      Runoff depth      24.635      56.787      24.635      mm"
"      Runoff volume      73.90      0.00      73.90      c.m"
"      Runoff coefficient      0.390      0.916      0.390      "
"      Maximum flow      0.023      0.000      0.023      c.m/sec"
" 40      HYDROGRAPH Add Runoff "

```

```

"          A6814A_50yr_Pre_v2.out
"          4    Add Runoff "
"              0.023      0.023      0.000      0.000"
" 33    CATCHMENT 102"
"          1    Triangular SCS"
"          1    Equal length"
"          1    SCS method"
"          102   No description"
"          0.000   % Impervious"
"          3.100   Total Area"
"          90.000  Flow length"
"          1.200   Overland Slope"
"          3.100   Pervious Area"
"          90.000  Pervious length"
"          1.200   Pervious slope"
"          0.000   Impervious Area"
"          90.000  Impervious length"
"          1.200   Impervious slope"
"          0.250   Pervious Manning 'n'"
"          78.000  Pervious SCS Curve No."
"          0.390   Pervious Runoff coefficient"
"          0.100   Pervious Ia/S coefficient"
"          7.164   Pervious Initial abstraction"
"          0.015   Impervious Manning 'n'"
"          98.000  Impervious SCS Curve No."
"          0.916   Impervious Runoff coefficient"
"          0.100   Impervious Ia/S coefficient"
"          0.518   Impervious Initial abstraction"
"              0.177      0.023      0.000      0.000 c.m/sec"
"          Catchment 102      Pervious      Impervious      Total Area "
"          Surface Area      3.100      0.000      3.100      hectare"
"          Time of concentration      32.686      4.147      32.686      minutes"
"          Time to Centroid      139.551      92.552      139.551      minutes"
"          Rainfall depth      63.286      63.286      63.286      mm"
"          Rainfall volume      1961.85      0.00      1961.85      c.m"
"          Rainfall losses      38.645      5.921      38.645      mm"
"          Runoff depth      24.641      57.365      24.641      mm"
"          Runoff volume      763.86      0.00      763.86      c.m"
"          Runoff coefficient      0.390      0.916      0.390      "
"          Maximum flow      0.177      0.000      0.177      c.m/sec"

```

```

A6814A_Pre_100yr_v2.out
"      MIDUSS Output ----->"
"      MIDUSS version                      Version 2.07 rev. 385"
"      MIDUSS created                      August-08-05"
"      10 Units used:                      ie METRIC"
"      Job folder:                        O:\Private Development\
"      A6814A - Sinclair Subdivision\Design\Storm\SWM\MIDUSS FEB 2016"
"      Output filename:                    A6814A_Pre_100yr_v2.out"
"      Licensee name:                      CPC"
"      Company                            Triton Engineering Services Ltd."
"      Date & Time last used:              11/07/2017 at 2:54:28 PM"
" 31      TIME PARAMETERS"
"      5.000 Time Step"
"      180.000 Max. Storm length"
"      1500.000 Max. Hydrograph"
" 32      STORM Chicago storm"
"      1 Chicago storm"
"      1780.100 Coefficient A"
"      11.090 Constant B"
"      0.828 Exponent C"
"      0.400 Fraction R"
"      180.000 Duration"
"      1.000 Time step multiplier"
"      Maximum intensity                    178.409 mm/hr"
"      Total depth                        68.976 mm"
"      6 100hyd Hydrograph extension used in this file"
" 33      CATCHMENT 101"
"      1 Triangular SCS"
"      1 Equal length"
"      1 SCS method"
"      101 No description"
"      0.000 % Impervious"
"      0.300 Total Area"
"      45.000 Flow length"
"      1.200 Overland Slope"
"      0.300 Pervious Area"
"      45.000 Pervious length"
"      1.200 Pervious slope"
"      0.000 Impervious Area"
"      45.000 Impervious length"
"      1.200 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.415 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
"      98.000 Impervious SCS Curve No."
"      0.923 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"      0.028 0.000 0.000 0.000 c.m/sec"
"      Catchment 101 Pervious Impervious Total Area "
"      Surface Area 0.300 0.000 0.300 hectare"
"      Time of concentration 20.217 2.643 20.217 minutes"
"      Time to Centroid 123.325 90.197 123.325 minutes"
"      Rainfall depth 68.976 68.976 68.976 mm"
"      Rainfall volume 206.93 0.00 206.93 c.m"
"      Rainfall losses 40.371 6.635 40.371 mm"
"      Runoff depth 28.605 62.342 28.605 mm"
"      Runoff volume 85.82 0.00 85.82 c.m"
"      Runoff coefficient 0.415 0.923 0.415 "
"      Maximum flow 0.028 0.000 0.028 c.m/sec"
" 40      HYDROGRAPH Add Runoff "

```

```

"          A6814A_Pre_100yr_v2.out
"      4  Add Runoff "
"          0.028      0.028      0.000      0.000"
" 33      CATCHMENT 102"
"          1  Triangular SCS"
"          1  Equal length"
"          1  SCS method"
"          102  No description"
"          0.000  % Impervious"
"          3.100  Total Area"
"          90.000  Flow length"
"          1.200  Overland Slope"
"          3.100  Pervious Area"
"          90.000  Pervious length"
"          1.200  Pervious slope"
"          0.000  Impervious Area"
"          90.000  Impervious length"
"          1.200  Impervious slope"
"          0.250  Pervious Manning 'n'"
"          78.000  Pervious SCS Curve No."
"          0.415  Pervious Runoff coefficient"
"          0.100  Pervious Ia/S coefficient"
"          7.164  Pervious Initial abstraction"
"          0.015  Impervious Manning 'n'"
"          98.000  Impervious SCS Curve No."
"          0.923  Impervious Runoff coefficient"
"          0.100  Impervious Ia/S coefficient"
"          0.518  Impervious Initial abstraction"
"          0.216      0.028      0.000      0.000 c.m/sec"
"          Catchment 102      Pervious      Impervious      Total Area "
"          Surface Area      3.100      0.000      3.100      hectare"
"          Time of concentration      30.644      4.006      30.644      minutes"
"          Time to Centroid      136.728      92.194      136.728      minutes"
"          Rainfall depth      68.976      68.976      68.976      mm"
"          Rainfall volume      2138.27      0.00      2138.27      c.m"
"          Rainfall losses      40.358      6.124      40.358      mm"
"          Runoff depth      28.618      62.852      28.618      mm"
"          Runoff volume      887.17      0.00      887.17      c.m"
"          Runoff coefficient      0.415      0.923      0.415      "
"          Maximum flow      0.216      0.000      0.216      c.m/sec"

```

```

A6814A_5yr_Pond_75mm orifice_v3a.out
"      MIDUSS Output ----->"
"      MIDUSS version                      Version 2.07 rev. 385"
"      MIDUSS created                      August-08-05"
"      10 Units used:                      ie METRIC"
"      Job folder:                        O:\Private Development\
"      A6814A - Sinclair Subdivision\Design\Storm\SWM\MIDUSS JULY 2017"
"      Output filename:                    A6814A_5yr_Pond_100mm orifice_v3a.out"
"      Licensee name:                      CPC"
"      Company                            Triton Engineering Services Ltd."
"      Date & Time last used:              20/07/2017 at 2:43:26 PM"
" 31      TIME PARAMETERS"
"          5.000 Time Step"
"          180.000 Max. Storm length"
"          1500.000 Max. Hydrograph"
" 32      STORM Chicago storm"
"          1 Chicago storm"
"          955.420 Coefficient A"
"          7.820 Constant B"
"          0.807 Exponent C"
"          0.400 Fraction R"
"          180.000 Duration"
"          1.000 Time step multiplier"
"          Maximum intensity                121.935 mm/hr"
"          Total depth                      41.919 mm"
"          6 005hyd Hydrograph extension used in this file"
" 33      CATCHMENT 200"
"          1 Triangular SCS"
"          1 Equal length"
"          1 SCS method"
"          200 No description"
"          43.000 % Impervious"
"          0.520 Total Area"
"          55.000 Flow length"
"          1.000 Overland Slope"
"          0.296 Pervious Area"
"          55.000 Pervious length"
"          1.000 Pervious slope"
"          0.224 Impervious Area"
"          55.000 Impervious length"
"          1.000 Impervious slope"
"          0.250 Pervious Manning 'n'"
"          78.000 Pervious SCS Curve No."
"          0.271 Pervious Runoff coefficient"
"          0.100 Pervious Ia/S coefficient"
"          7.164 Pervious Initial abstraction"
"          0.015 Impervious Manning 'n'"
"          98.000 Impervious SCS Curve No."
"          0.878 Impervious Runoff coefficient"
"          0.100 Impervious Ia/S coefficient"
"          0.518 Impervious Initial abstraction"
"          0.055 0.000 0.000 0.000 c.m/sec"
"          Catchment 200 Pervious Impervious Total Area "
"          Surface Area 0.296 0.224 0.520 hectare"
"          Time of concentration 34.823 3.714 12.863 minutes"
"          Time to Centroid 144.598 93.157 108.286 minutes"
"          Rainfall depth 41.919 41.919 41.919 mm"
"          Rainfall volume 124.25 93.73 217.98 c.m"
"          Rainfall losses 30.573 5.821 19.930 mm"
"          Runoff depth 11.345 36.098 21.989 mm"
"          Runoff volume 33.63 80.71 114.34 c.m"
"          Runoff coefficient 0.271 0.878 0.532 "
"          Maximum flow 0.007 0.053 0.055 c.m/sec"
" 40      HYDROGRAPH Add Runoff "

```

```

A6814A_5yr_Pond_75mm_orifice_v3a.out
"      4  Add Runoff "
"      0.055      0.055      0.000      0.000"
" 33    CATCHMENT 201"
"      1  Triangular SCS"
"      1  Equal length"
"      1  SCS method"
"      201 No description"
"      48.000 % Impervious"
"      0.460 Total Area"
"      56.000 Flow length"
"      0.600 Overland Slope"
"      0.239 Pervious Area"
"      56.000 Pervious length"
"      0.600 Pervious slope"
"      0.221 Impervious Area"
"      56.000 Impervious length"
"      0.600 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.271 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
"      98.000 Impervious SCS Curve No."
"      0.878 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"      0.055      0.055      0.000      0.000 c.m/sec"
"      Catchment 201      Pervious      Impervious      Total Area "
"      Surface Area      0.239      0.221      0.460      hectare"
"      Time of concentration      41.031      4.377      13.621      minutes"
"      Time to Centroid      152.462      94.072      108.798      minutes"
"      Rainfall depth      41.919      41.919      41.919      mm"
"      Rainfall volume      100.27      92.56      192.83      c.m"
"      Rainfall losses      30.573      5.474      18.526      mm"
"      Runoff depth      11.346      36.444      23.393      mm"
"      Runoff volume      27.14      80.47      107.61      c.m"
"      Runoff coefficient      0.271      0.878      0.562      "
"      Maximum flow      0.005      0.054      0.055      c.m/sec"
" 40    HYDROGRAPH Add Runoff "
"      4  Add Runoff "
"      0.055      0.110      0.000      0.000"
" 33    CATCHMENT 202"
"      1  Triangular SCS"
"      1  Equal length"
"      1  SCS method"
"      202 No description"
"      42.000 % Impervious"
"      0.410 Total Area"
"      54.000 Flow length"
"      0.600 Overland Slope"
"      0.238 Pervious Area"
"      54.000 Pervious length"
"      0.600 Pervious slope"
"      0.172 Impervious Area"
"      54.000 Impervious length"
"      0.600 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.271 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"

```

```

A6814A_5yr_Pond_75mm orifice_v3a.out
" 98.000 Impervious SCS Curve No."
" 0.878 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.043 0.110 0.000 0.000 c.m/sec"
" Catchment 202 Pervious Impervious Total Area "
" Surface Area 0.238 0.172 0.410 hectare"
" Time of concentration 40.145 4.282 15.072 minutes"
" Time to Centroid 151.336 93.929 111.201 minutes"
" Rainfall depth 41.919 41.919 41.919 mm"
" Rainfall volume 99.68 72.18 171.87 c.m"
" Rainfall losses 30.568 5.495 20.038 mm"
" Runoff depth 11.350 36.423 21.881 mm"
" Runoff volume 26.99 62.72 89.71 c.m"
" Runoff coefficient 0.271 0.878 0.526 "
" Maximum flow 0.005 0.042 0.043 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.043 0.153 0.000 0.000"
" 33 CATCHMENT 204"
" 1 Triangular SCS"
" 1 Equal length"
" 1 SCS method"
" 204 No description"
" 30.000 % Impervious"
" 0.240 Total Area"
" 35.000 Flow length"
" 2.000 Overland Slope"
" 0.168 Pervious Area"
" 35.000 Pervious length"
" 2.000 Pervious slope"
" 0.072 Impervious Area"
" 35.000 Impervious length"
" 2.000 Impervious slope"
" 0.250 Pervious Manning 'n'"
" 78.000 Pervious SCS Curve No."
" 0.271 Pervious Runoff coefficient"
" 0.100 Pervious Ia/S coefficient"
" 7.164 Pervious Initial abstraction"
" 0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
" 0.878 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.019 0.153 0.000 0.000 c.m/sec"
" Catchment 204 Pervious Impervious Total Area "
" Surface Area 0.168 0.072 0.240 hectare"
" Time of concentration 21.566 2.300 10.436 minutes"
" Time to Centroid 127.807 90.931 106.504 minutes"
" Rainfall depth 41.919 41.919 41.919 mm"
" Rainfall volume 70.42 30.18 100.60 c.m"
" Rainfall losses 30.574 5.706 23.113 mm"
" Runoff depth 11.345 36.212 18.805 mm"
" Runoff volume 19.06 26.07 45.13 c.m"
" Runoff coefficient 0.271 0.878 0.453 "
" Maximum flow 0.006 0.018 0.019 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.019 0.170 0.000 0.000"
" 33 CATCHMENT 203"
" 1 Triangular SCS"
" 1 Equal length"
" 1 SCS method"

```

A6814A_5yr_Pond_75mm_orifice_v3a.out

```

"      203    No description"
"      52.000  % Impervious"
"      0.280   Total Area"
"      47.000  Flow length"
"      0.800   Overland Slope"
"      0.134   Pervious Area"
"      47.000  Pervious length"
"      0.800   Pervious slope"
"      0.146   Impervious Area"
"      47.000  Impervious length"
"      0.800   Impervious slope"
"      0.250   Pervious Manning 'n'"
"      78.000  Pervious SCS Curve No."
"      0.271   Pervious Runoff coefficient"
"      0.100   Pervious Ia/S coefficient"
"      7.164   Pervious Initial abstraction"
"      0.015   Impervious Manning 'n'"
"      98.000  Impervious SCS Curve No."
"      0.878   Impervious Runoff coefficient"
"      0.100   Impervious Ia/S coefficient"
"      0.518   Impervious Initial abstraction"
"      0.035   0.170   0.000   0.000 c.m/sec"
"      Catchment 203      Pervious      Impervious      Total Area  "
"      Surface Area      0.134      0.146      0.280      hectare"
"      Time of concentration 33.883      3.614      10.430      minutes"
"      Time to Centroid      143.401      93.009      104.357      minutes"
"      Rainfall depth      41.919      41.919      41.919      mm"
"      Rainfall volume      56.34      61.03      117.37      c.m"
"      Rainfall losses      30.569      5.874      17.728      mm"
"      Runoff depth      11.349      36.045      24.191      mm"
"      Runoff volume      15.25      52.48      67.73      c.m"
"      Runoff coefficient      0.271      0.878      0.586      "
"      Maximum flow      0.003      0.035      0.035      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.035      0.205      0.000      0.000"
" 40      HYDROGRAPH Copy to Outflow"
"      8      Copy to Outflow"
"      0.035      0.205      0.205      0.000"
" 40      HYDROGRAPH Combine 1"
"      6      Combine "
"      1      Node #"
"      "
"      Maximum flow      0.205      c.m/sec"
"      Hydrograph volume      424.528      c.m"
"      0.035      0.205      0.205      0.205"
" 40      HYDROGRAPH Start - New Tributary"
"      2      Start - New Tributary"
"      0.035      0.000      0.205      0.205"
" 33      CATCHMENT 205"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      205    No description"
"      39.000  % Impervious"
"      0.320   Total Area"
"      74.000  Flow length"
"      0.800   Overland Slope"
"      0.195   Pervious Area"
"      74.000  Pervious length"
"      0.800   Pervious slope"
"      0.125   Impervious Area"
"      74.000  Impervious length"

```

A6814A_5yr_Pond_75mm_orifice_v3a.out

```

"      0.800    Impervious slope"
"      0.250    Pervious Manning 'n'"
"    78.000    Pervious SCS Curve No."
"      0.271    Pervious Runoff coefficient"
"      0.100    Pervious Ia/S coefficient"
"      7.164    Pervious Initial abstraction"
"      0.015    Impervious Manning 'n'"
"    98.000    Impervious SCS Curve No."
"      0.878    Impervious Runoff coefficient"
"      0.100    Impervious Ia/S coefficient"
"      0.518    Impervious Initial abstraction"
"          0.031      0.000      0.205      0.205 c.m/sec"
"      Catchment 205      Pervious      Impervious      Total Area  "
"      Surface Area      0.195      0.125      0.320      hectare"
"      Time of concentration      44.489      4.745      17.752      minutes"
"      Time to Centroid      156.839      94.614      114.978      minutes"
"      Rainfall depth      41.919      41.919      41.919      mm"
"      Rainfall volume      81.82      52.31      134.14      c.m"
"      Rainfall losses      30.571      5.432      20.767      mm"
"      Runoff depth      11.348      36.487      21.152      mm"
"      Runoff volume      22.15      45.54      67.69      c.m"
"      Runoff coefficient      0.271      0.878      0.508      "
"      Maximum flow      0.004      0.031      0.031      c.m/sec"
40    HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"          0.031      0.031      0.205      0.205"
33    CATCHMENT 206"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      206    No description"
"      5.000    % Impervious"
"      0.210    Total Area"
"    12.000    Flow length"
"      2.000    Overland Slope"
"      0.199    Pervious Area"
"    12.000    Pervious length"
"      2.000    Pervious slope"
"      0.010    Impervious Area"
"    12.000    Impervious length"
"      2.000    Impervious slope"
"      0.250    Pervious Manning 'n'"
"    78.000    Pervious SCS Curve No."
"      0.271    Pervious Runoff coefficient"
"      0.100    Pervious Ia/S coefficient"
"      7.164    Pervious Initial abstraction"
"      0.015    Impervious Manning 'n'"
"    98.000    Impervious SCS Curve No."
"      0.878    Impervious Runoff coefficient"
"      0.100    Impervious Ia/S coefficient"
"      0.518    Impervious Initial abstraction"
"          0.010      0.031      0.205      0.205 c.m/sec"
"      Catchment 206      Pervious      Impervious      Total Area  "
"      Surface Area      0.199      0.010      0.210      hectare"
"      Time of concentration      11.346      1.210      9.894      minutes"
"      Time to Centroid      114.856      89.236      111.185      minutes"
"      Rainfall depth      41.919      41.919      41.919      mm"
"      Rainfall volume      83.63      4.40      88.03      c.m"
"      Rainfall losses      30.602      5.952      29.369      mm"
"      Runoff depth      11.317      35.966      12.549      mm"
"      Runoff volume      22.58      3.78      26.35      c.m"
"      Runoff coefficient      0.271      0.878      0.301      "
"      Maximum flow      0.009      0.003      0.010      c.m/sec"

```

A6814A_5yr_Pond_75mm_orifice_v3a.out

```

" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.010      0.040      0.205      0.205"
" 33      CATCHMENT 207"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      207      No description"
"      51.000      % Impervious"
"      0.240      Total Area"
"      71.000      Flow length"
"      0.800      Overland Slope"
"      0.118      Pervious Area"
"      71.000      Pervious length"
"      0.800      Pervious slope"
"      0.122      Impervious Area"
"      71.000      Impervious length"
"      0.800      Impervious slope"
"      0.250      Pervious Manning 'n'"
"      78.000      Pervious SCS Curve No."
"      0.271      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"
"      0.015      Impervious Manning 'n'"
"      98.000      Impervious SCS Curve No."
"      0.878      Impervious Runoff coefficient"
"      0.100      Impervious Ia/S coefficient"
"      0.518      Impervious Initial abstraction"
"      0.030      0.040      0.205      0.205 c.m/sec"
"      Catchment 207      Pervious      Impervious      Total Area      "
"      Surface Area      0.118      0.122      0.240      hectare"
"      Time of concentration      43.398      4.629      13.555      minutes"
"      Time to Centroid      155.455      94.447      108.493      minutes"
"      Rainfall depth      41.919      41.919      41.919      mm"
"      Rainfall volume      49.30      51.31      100.60      c.m"
"      Rainfall losses      30.569      5.460      17.763      mm"
"      Runoff depth      11.349      36.459      24.155      mm"
"      Runoff volume      13.35      44.63      57.97      c.m"
"      Runoff coefficient      0.271      0.878      0.580      "
"      Maximum flow      0.002      0.030      0.030      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.030      0.070      0.205      0.205"
" 33      CATCHMENT 208"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      208      No description"
"      45.000      % Impervious"
"      0.180      Total Area"
"      45.000      Flow length"
"      0.800      Overland Slope"
"      0.099      Pervious Area"
"      45.000      Pervious length"
"      0.800      Pervious slope"
"      0.081      Impervious Area"
"      45.000      Impervious length"
"      0.800      Impervious slope"
"      0.250      Pervious Manning 'n'"
"      78.000      Pervious SCS Curve No."
"      0.271      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"

```

A6814A_5yr_Pond_75mm orifice_v3a.out

```

"      0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
"      0.878 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"          0.020      0.070      0.205      0.205 c.m/sec"
"      Catchment 208 Pervious Impervious Total Area "
"      Surface Area      0.099      0.081      0.180 hectare"
"      Time of concentration 33.010      3.521      11.709 minutes"
"      Time to Centroid 142.299      92.850      106.581 minutes"
"      Rainfall depth 41.919      41.919      41.919 mm"
"      Rainfall volume 41.50      33.95      75.45 c.m"
"      Rainfall losses 30.571      5.840      19.442 mm"
"      Runoff depth 11.348      36.078      22.476 mm"
"      Runoff volume 11.23      29.22      40.46 c.m"
"      Runoff coefficient 0.271      0.878      0.544 "
"      Maximum flow 0.002      0.019      0.020 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
"      4 Add Runoff "
"          0.020      0.090      0.205      0.205"
" 33 CATCHMENT 209"
"      1 Triangular SCS"
"      1 Equal length"
"      1 SCS method"
"      209 No description"
" 80.000 % Impervious"
"      0.020 Total Area"
" 10.000 Flow length"
"      0.500 Overland Slope"
"      0.004 Pervious Area"
" 10.000 Pervious length"
"      0.500 Pervious slope"
"      0.016 Impervious Area"
" 10.000 Impervious length"
"      0.500 Impervious slope"
"      0.250 Pervious Manning 'n'"
" 78.000 Pervious SCS Curve No."
"      0.271 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
"      0.878 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"          0.004      0.090      0.205      0.205 c.m/sec"
"      Catchment 209 Pervious Impervious Total Area "
"      Surface Area 0.004      0.016      0.020 hectare"
"      Time of concentration 15.415      1.644      2.643 minutes"
"      Time to Centroid 120.021      89.838      92.027 minutes"
"      Rainfall depth 41.919      41.919      41.919 mm"
"      Rainfall volume 1.68      6.71      8.38 c.m"
"      Rainfall losses 30.578      5.665      10.647 mm"
"      Runoff depth 11.341      36.254      31.271 mm"
"      Runoff volume 0.45      5.80      6.25 c.m"
"      Runoff coefficient 0.271      0.878      0.756 "
"      Maximum flow 0.000      0.004      0.004 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
"      4 Add Runoff "
"          0.004      0.093      0.205      0.205"
" 40 HYDROGRAPH Copy to Outflow"
"      8 Copy to Outflow"
"          0.004      0.093      0.093      0.205"

```

```

A6814A_5yr_Pond_75mm_orifice_v3a.out
" 40      HYDROGRAPH      Combine      1"
"      6      Combine      "
"      1      Node #"
"
"      Maximum flow      0.298      c.m/sec"
"      Hydrograph volume      623.252      c.m"
"      0.004      0.093      0.093      0.298"
" 40      HYDROGRAPH Start - New Tributary"
"      2      Start - New Tributary"
"      0.004      0.000      0.093      0.298"
" 33      CATCHMENT 210"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      210      No description"
"      38.000      % Impervious"
"      0.260      Total Area"
"      22.000      Flow length"
"      0.500      Overland Slope"
"      0.161      Pervious Area"
"      22.000      Pervious length"
"      0.500      Pervious slope"
"      0.099      Impervious Area"
"      22.000      Impervious length"
"      0.500      Impervious slope"
"      0.250      Pervious Manning 'n'"
"      78.000      Pervious SCS Curve No."
"      0.271      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"
"      0.015      Impervious Manning 'n'"
"      98.000      Impervious SCS Curve No."
"      0.878      Impervious Runoff coefficient"
"      0.100      Impervious Ia/S coefficient"
"      0.518      Impervious Initial abstraction"
"      0.025      0.000      0.093      0.298 c.m/sec"
"      Catchment 210      Pervious      Impervious      Total Area      "
"      Surface Area      0.161      0.099      0.260      hectare"
"      Time of concentration      24.740      2.639      10.130      minutes"
"      Time to Centroid      131.832      91.459      105.142      minutes"
"      Rainfall depth      41.919      41.919      41.919      mm"
"      Rainfall volume      67.57      41.42      108.99      c.m"
"      Rainfall losses      30.575      5.819      21.168      mm"
"      Runoff depth      11.343      36.099      20.750      mm"
"      Runoff volume      18.29      35.67      53.95      c.m"
"      Runoff coefficient      0.271      0.878      0.501      "
"      Maximum flow      0.005      0.024      0.025      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.025      0.025      0.093      0.298"
" 40      HYDROGRAPH Copy to Outflow"
"      8      Copy to Outflow"
"      0.025      0.025      0.025      0.298"
" 40      HYDROGRAPH      Combine      1"
"      6      Combine      "
"      1      Node #"
"
"      Maximum flow      0.321      c.m/sec"
"      Hydrograph volume      677.203      c.m"
"      0.025      0.025      0.025      0.321"
" 40      HYDROGRAPH      Confluence      1"
"      7      Confluence      "
"      1      Node #"

```

A6814A_5yr_Pond_75mm_orifice_v3a.out

```

"
"
"      Maximum flow      0.321      c.m/sec"
"      Hydrograph volume 677.203      c.m"
"      0.025      0.321      0.025      0.000"
" 54  POND DESIGN"
"      0.321      Current peak flow      c.m/sec"
"      0.233      Target outflow      c.m/sec"
"      678.0      Hydrograph volume      c.m"
"      14.      Number of stages"
"      401.250      Minimum water level      metre"
"      402.550      Maximum water level      metre"
"      401.250      Starting water level      metre"
"      0      Keep Design Data: 1 = True; 0 = False"
"      Level Discharge      Volume"
"      401.250      0.000      0.0"
"      401.350      0.004      27.3"
"      401.450      0.005      76.4"
"      401.550      0.006      130.2"
"      401.650      0.007      188.9"
"      401.750      0.008      252.7"
"      401.850      0.009      321.7"
"      401.950      0.010      396.1"
"      402.050      0.010      476.1"
"      402.150      0.011      561.7"
"      402.250      0.065      653.2"
"      402.350      0.137      750.7"
"      402.450      0.143      854.3"
"      402.550      0.455      963.0"
"      Peak outflow      0.012      c.m/sec"
"      Maximum level      402.152      metre"
"      Maximum storage      563.758      c.m"
"      Centroidal lag      11.048      hours"
"      0.025      0.321      0.012      0.000 c.m/sec"
" 40  HYDROGRAPH      Combine      2"
"      6      Combine "
"      2      Node #"
"
"      Maximum flow      0.012      c.m/sec"
"      Hydrograph volume 666.129      c.m"
"      0.025      0.321      0.012      0.012"
" 40  HYDROGRAPH Start - New Tributary"
"      2      Start - New Tributary"
"      0.025      0.000      0.012      0.012"
" 33  CATCHMENT 211"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      211      No description"
"      40.000      % Impervious"
"      0.260      Total Area"
"      47.000      Flow length"
"      2.500      Overland Slope"
"      0.156      Pervious Area"
"      47.000      Pervious length"
"      2.500      Pervious slope"
"      0.104      Impervious Area"
"      47.000      Impervious length"
"      2.500      Impervious slope"
"      0.250      Pervious Manning 'n'"
"      78.000      Pervious SCS Curve No."
"      0.271      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"

```

```

A6814A_5yr_Pond_75mm orifice_v3a.out
" 0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
" 0.878 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.026 0.000 0.012 0.012 c.m/sec"
" Catchment 211 Pervious Impervious Total Area "
" Surface Area 0.156 0.104 0.260 hectare"
" Time of concentration 24.072 2.568 9.457 minutes"
" Time to Centroid 130.977 91.344 104.041 minutes"
" Rainfall depth 41.919 41.919 41.919 mm"
" Rainfall volume 65.39 43.60 108.99 c.m"
" Rainfall losses 30.570 5.807 20.665 mm"
" Runoff depth 11.348 36.112 21.254 mm"
" Runoff volume 17.70 37.56 55.26 c.m"
" Runoff coefficient 0.271 0.878 0.514 "
" Maximum flow 0.005 0.026 0.026 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.026 0.026 0.012 0.012"
" 40 HYDROGRAPH Copy to Outflow"
" 8 Copy to Outflow"
" 0.026 0.026 0.026 0.012"
" 40 HYDROGRAPH Combine 2"
" 6 Combine "
" 2 Node #"
" "
" Maximum flow 0.032 c.m/sec"
" Hydrograph volume 721.389 c.m"
" 0.026 0.026 0.026 0.032"
" 40 HYDROGRAPH Confluence 2"
" 7 Confluence "
" 2 Node #"
" "
" Maximum flow 0.032 c.m/sec"
" Hydrograph volume 721.389 c.m"
" 0.026 0.032 0.026 0.000"

```

```

A6814A_10yr_Pond_75mm orifice_v3a.out
"      MIDUSS Output ----->"
"      MIDUSS version                      Version 2.07 rev. 385"
"      MIDUSS created                      August-08-05"
"      10 Units used:                      ie METRIC"
"      Job folder:                        O:\Private Development\
"      A6814A - Sinclair Subdivision\Design\Storm\SWM\MIDUSS JULY 2017"
"      Output filename:                    A6814A_10yr_Pond_100mm orifice_v3a.out"
"      Licensee name:                      CPC"
"      Company                            Triton Engineering Services Ltd."
"      Date & Time last used:              20/07/2017 at 3:06:43 PM"
" 31      TIME PARAMETERS"
"      5.000 Time Step"
"      180.000 Max. Storm length"
"      1500.000 Max. Hydrograph"
" 32      STORM Chicago storm"
"      1 Chicago storm"
"      1122.530 Coefficient A"
"      9.189 Constant B"
"      0.817 Exponent C"
"      0.400 Fraction R"
"      180.000 Duration"
"      1.000 Time step multiplier"
"      Maximum intensity                    128.544 mm/hr"
"      Total depth                        46.462 mm"
"      6 010hyd Hydrograph extension used in this file"
" 33      CATCHMENT 200"
"      1 Triangular SCS"
"      1 Equal length"
"      1 SCS method"
"      200 No description"
"      43.000 % Impervious"
"      0.520 Total Area"
"      55.000 Flow length"
"      1.000 Overland Slope"
"      0.296 Pervious Area"
"      55.000 Pervious length"
"      1.000 Pervious slope"
"      0.224 Impervious Area"
"      55.000 Impervious length"
"      1.000 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.300 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
"      98.000 Impervious SCS Curve No."
"      0.889 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"      0.059 0.000 0.000 0.000 c.m/sec"
"      Catchment 200 Pervious Impervious Total Area "
"      Surface Area 0.296 0.224 0.520 hectare"
"      Time of concentration 32.357 3.624 12.624 minutes"
"      Time to Centroid 140.584 92.683 107.687 minutes"
"      Rainfall depth 46.462 46.462 46.462 mm"
"      Rainfall volume 137.71 103.89 241.60 c.m"
"      Rainfall losses 32.549 6.024 21.143 mm"
"      Runoff depth 13.913 40.438 25.319 mm"
"      Runoff volume 41.24 90.42 131.66 c.m"
"      Runoff coefficient 0.300 0.889 0.553 "
"      Maximum flow 0.009 0.057 0.059 c.m/sec"
" 40      HYDROGRAPH Add Runoff "

```

```

A6814A_10yr_Pond_75mm orifice_v3a.out
"      4  Add Runoff "
"      0.059      0.059      0.000      0.000"
" 33    CATCHMENT 201"
"      1  Triangular SCS"
"      1  Equal length"
"      1  SCS method"
"      201  No description"
"      48.000  % Impervious"
"      0.460  Total Area"
"      56.000  Flow length"
"      0.600  Overland Slope"
"      0.239  Pervious Area"
"      56.000  Pervious length"
"      0.600  Pervious slope"
"      0.221  Impervious Area"
"      56.000  Impervious length"
"      0.600  Impervious slope"
"      0.250  Pervious Manning 'n'"
"      78.000  Pervious SCS Curve No."
"      0.300  Pervious Runoff coefficient"
"      0.100  Pervious Ia/S coefficient"
"      7.164  Pervious Initial abstraction"
"      0.015  Impervious Manning 'n'"
"      98.000  Impervious SCS Curve No."
"      0.889  Impervious Runoff coefficient"
"      0.100  Impervious Ia/S coefficient"
"      0.518  Impervious Initial abstraction"
"      0.060      0.059      0.000      0.000 c.m/sec"
"      Catchment 201      Pervious      Impervious      Total Area "
"      Surface Area      0.239      0.221      0.460      hectare"
"      Time of concentration      38.126      4.270      13.390      minutes"
"      Time to Centroid      147.852      93.563      108.188      minutes"
"      Rainfall depth      46.462      46.462      46.462      mm"
"      Rainfall volume      111.14      102.59      213.72      c.m"
"      Rainfall losses      32.549      5.585      19.606      mm"
"      Runoff depth      13.913      40.876      26.855      mm"
"      Runoff volume      33.28      90.26      123.53      c.m"
"      Runoff coefficient      0.300      0.889      0.582      "
"      Maximum flow      0.007      0.058      0.060      c.m/sec"
" 40    HYDROGRAPH Add Runoff "
"      4  Add Runoff "
"      0.060      0.119      0.000      0.000"
" 33    CATCHMENT 202"
"      1  Triangular SCS"
"      1  Equal length"
"      1  SCS method"
"      202  No description"
"      42.000  % Impervious"
"      0.410  Total Area"
"      54.000  Flow length"
"      0.600  Overland Slope"
"      0.238  Pervious Area"
"      54.000  Pervious length"
"      0.600  Pervious slope"
"      0.172  Impervious Area"
"      54.000  Impervious length"
"      0.600  Impervious slope"
"      0.250  Pervious Manning 'n'"
"      78.000  Pervious SCS Curve No."
"      0.300  Pervious Runoff coefficient"
"      0.100  Pervious Ia/S coefficient"
"      7.164  Pervious Initial abstraction"
"      0.015  Impervious Manning 'n'"

```

```

A6814A_10yr_Pond_75mm_orifice_v3a.out
" 98.000 Impervious SCS Curve No."
" 0.889 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.047 0.119 0.000 0.000 c.m/sec"
" Catchment 202 Pervious Impervious Total Area "
" Surface Area 0.238 0.172 0.410 hectare"
" Time of concentration 37.303 4.178 14.781 minutes"
" Time to Centroid 146.812 93.440 110.523 minutes"
" Rainfall depth 46.462 46.462 46.462 mm"
" Rainfall volume 110.49 80.01 190.49 c.m"
" Rainfall losses 32.546 5.642 21.246 mm"
" Runoff depth 13.916 40.819 25.215 mm"
" Runoff volume 33.09 70.29 103.38 c.m"
" Runoff coefficient 0.300 0.889 0.547 "
" Maximum flow 0.007 0.045 0.047 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.047 0.166 0.000 0.000"
" 33 CATCHMENT 204"
" 1 Triangular SCS"
" 1 Equal length"
" 1 SCS method"
" 204 No description"
" 30.000 % Impervious"
" 0.240 Total Area"
" 35.000 Flow length"
" 2.000 Overland Slope"
" 0.168 Pervious Area"
" 35.000 Pervious length"
" 2.000 Pervious slope"
" 0.072 Impervious Area"
" 35.000 Impervious length"
" 2.000 Impervious slope"
" 0.250 Pervious Manning 'n'"
" 78.000 Pervious SCS Curve No."
" 0.300 Pervious Runoff coefficient"
" 0.100 Pervious Ia/S coefficient"
" 7.164 Pervious Initial abstraction"
" 0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
" 0.889 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.021 0.166 0.000 0.000 c.m/sec"
" Catchment 204 Pervious Impervious Total Area "
" Surface Area 0.168 0.072 0.240 hectare"
" Time of concentration 20.040 2.244 10.145 minutes"
" Time to Centroid 125.053 90.534 105.859 minutes"
" Rainfall depth 46.462 46.462 46.462 mm"
" Rainfall volume 78.06 33.45 111.51 c.m"
" Rainfall losses 32.557 5.824 24.537 mm"
" Runoff depth 13.905 40.637 21.925 mm"
" Runoff volume 23.36 29.26 52.62 c.m"
" Runoff coefficient 0.300 0.889 0.476 "
" Maximum flow 0.007 0.020 0.021 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.021 0.185 0.000 0.000"
" 33 CATCHMENT 203"
" 1 Triangular SCS"
" 1 Equal length"
" 1 SCS method"

```

A6814A_10yr_Pond_75mm_orifice_v3a.out

```

"      203    No description"
"      52.000 % Impervious"
"      0.280 Total Area"
"      47.000 Flow length"
"      0.800 Overland Slope"
"      0.134 Pervious Area"
"      47.000 Pervious length"
"      0.800 Pervious slope"
"      0.146 Impervious Area"
"      47.000 Impervious length"
"      0.800 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.300 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
"      98.000 Impervious SCS Curve No."
"      0.889 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"      0.038      0.185      0.000      0.000 c.m/sec"
"      Catchment 203      Pervious      Impervious      Total Area "
"      Surface Area      0.134      0.146      0.280      hectare"
"      Time of concentration      31.484      3.526      10.261      minutes"
"      Time to Centroid      139.482      92.527      103.839      minutes"
"      Rainfall depth      46.462      46.462      46.462      mm"
"      Rainfall volume      62.44      67.65      130.09      c.m"
"      Rainfall losses      32.550      5.999      18.744      mm"
"      Runoff depth      13.911      40.462      27.718      mm"
"      Runoff volume      18.70      58.91      77.61      c.m"
"      Runoff coefficient      0.300      0.889      0.606      "
"      Maximum flow      0.004      0.037      0.038      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.038      0.223      0.000      0.000"
" 40      HYDROGRAPH Copy to Outflow"
"      8      Copy to Outflow"
"      0.038      0.223      0.223      0.000"
" 40      HYDROGRAPH Combine      1"
"      6      Combine "
"      1      Node #"
"      "
"      Maximum flow      0.223      c.m/sec"
"      Hydrograph volume      488.804      c.m"
"      0.038      0.223      0.223      0.223"
" 40      HYDROGRAPH Start - New Tributary"
"      2      Start - New Tributary"
"      0.038      0.000      0.223      0.223"
" 33      CATCHMENT 205"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      205    No description"
"      39.000 % Impervious"
"      0.320 Total Area"
"      74.000 Flow length"
"      0.800 Overland Slope"
"      0.195 Pervious Area"
"      74.000 Pervious length"
"      0.800 Pervious slope"
"      0.125 Impervious Area"
"      74.000 Impervious length"

```

```

A6814A_10yr_Pond_75mm_orifice_v3a.out
"      0.800    Impervious slope"
"      0.250    Pervious Manning 'n'"
"     78.000    Pervious SCS Curve No."
"      0.300    Pervious Runoff coefficient"
"      0.100    Pervious Ia/S coefficient"
"      7.164    Pervious Initial abstraction"
"      0.015    Impervious Manning 'n'"
"     98.000    Impervious SCS Curve No."
"      0.889    Impervious Runoff coefficient"
"      0.100    Impervious Ia/S coefficient"
"      0.518    Impervious Initial abstraction"
"          0.034      0.000      0.223      0.223 c.m/sec"
"      Catchment 205      Pervious      Impervious      Total Area  "
"      Surface Area      0.195      0.125      0.320      hectare"
"      Time of concentration  41.340      4.630      17.371      minutes"
"      Time to Centroid      151.908      94.079      114.150      minutes"
"      Rainfall depth      46.462      46.462      46.462      mm"
"      Rainfall volume      90.69      57.98      148.68      c.m"
"      Rainfall losses      32.549      5.525      22.010      mm"
"      Runoff depth      13.913      40.937      24.452      mm"
"      Runoff volume      27.16      51.09      78.25      c.m"
"      Runoff coefficient      0.300      0.889      0.529      "
"      Maximum flow      0.005      0.033      0.034      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"          0.034      0.034      0.223      0.223"
" 33      CATCHMENT 206"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      206      No description"
"      5.000      % Impervious"
"      0.210      Total Area"
"     12.000      Flow length"
"      2.000      Overland Slope"
"      0.199      Pervious Area"
"     12.000      Pervious length"
"      2.000      Pervious slope"
"      0.010      Impervious Area"
"     12.000      Impervious length"
"      2.000      Impervious slope"
"      0.250      Pervious Manning 'n'"
"     78.000      Pervious SCS Curve No."
"      0.300      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"
"      0.015      Impervious Manning 'n'"
"     98.000      Impervious SCS Curve No."
"      0.889      Impervious Runoff coefficient"
"      0.100      Impervious Ia/S coefficient"
"      0.518      Impervious Initial abstraction"
"          0.013      0.034      0.223      0.223 c.m/sec"
"      Catchment 206      Pervious      Impervious      Total Area  "
"      Surface Area      0.199      0.010      0.210      hectare"
"      Time of concentration  10.543      1.181      9.301      minutes"
"      Time to Centroid      113.081      88.888      109.873      minutes"
"      Rainfall depth      46.462      46.462      46.462      mm"
"      Rainfall volume      92.69      4.88      97.57      c.m"
"      Rainfall losses      32.580      6.141      31.258      mm"
"      Runoff depth      13.881      40.320      15.203      mm"
"      Runoff volume      27.69      4.23      31.93      c.m"
"      Runoff coefficient      0.300      0.889      0.329      "
"      Maximum flow      0.012      0.003      0.013      c.m/sec"

```

A6814A_10yr_Pond_75mm_orifice_v3a.out

```

" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.013      0.045      0.223      0.223"
" 33      CATCHMENT 207"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      207      No description"
"      51.000      % Impervious"
"      0.240      Total Area"
"      71.000      Flow length"
"      0.800      Overland Slope"
"      0.118      Pervious Area"
"      71.000      Pervious length"
"      0.800      Pervious slope"
"      0.122      Impervious Area"
"      71.000      Impervious length"
"      0.800      Impervious slope"
"      0.250      Pervious Manning 'n'"
"      78.000      Pervious SCS Curve No."
"      0.300      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"
"      0.015      Impervious Manning 'n'"
"      98.000      Impervious SCS Curve No."
"      0.889      Impervious Runoff coefficient"
"      0.100      Impervious Ia/S coefficient"
"      0.518      Impervious Initial abstraction"
"      0.033      0.045      0.223      0.223 c.m/sec"
"      Catchment 207      Pervious      Impervious      Total Area      "
"      Surface Area      0.118      0.122      0.240      hectare"
"      Time of concentration      40.326      4.516      13.332      minutes"
"      Time to Centroid      150.626      93.915      107.876      minutes"
"      Rainfall depth      46.462      46.462      46.462      mm"
"      Rainfall volume      54.64      56.87      111.51      c.m"
"      Rainfall losses      32.544      5.519      18.761      mm"
"      Runoff depth      13.918      40.943      27.701      mm"
"      Runoff volume      16.37      50.11      66.48      c.m"
"      Runoff coefficient      0.300      0.889      0.600      "
"      Maximum flow      0.003      0.032      0.033      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.033      0.078      0.223      0.223"
" 33      CATCHMENT 208"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      208      No description"
"      45.000      % Impervious"
"      0.180      Total Area"
"      45.000      Flow length"
"      0.800      Overland Slope"
"      0.099      Pervious Area"
"      45.000      Pervious length"
"      0.800      Pervious slope"
"      0.081      Impervious Area"
"      45.000      Impervious length"
"      0.800      Impervious slope"
"      0.250      Pervious Manning 'n'"
"      78.000      Pervious SCS Curve No."
"      0.300      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"

```

```

A6814A_10yr_Pond_75mm_orifice_v3a.out
"      0.015  Impervious Manning 'n'"
"      98.000  Impervious SCS Curve No."
"      0.889  Impervious Runoff coefficient"
"      0.100  Impervious Ia/S coefficient"
"      0.518  Impervious Initial abstraction"
"          0.021      0.078      0.223      0.223 c.m/sec"
"      Catchment 208      Pervious      Impervious      Total Area  "
"      Surface Area      0.099      0.081      0.180      hectare"
"      Time of concentration      30.673      3.435      11.488      minutes"
"      Time to Centroid      138.455      92.384      106.005      minutes"
"      Rainfall depth      46.462      46.462      46.462      mm"
"      Rainfall volume      46.00      37.63      83.63      c.m"
"      Rainfall losses      32.551      5.956      20.583      mm"
"      Runoff depth      13.911      40.505      25.878      mm"
"      Runoff volume      13.77      32.81      46.58      c.m"
"      Runoff coefficient      0.300      0.889      0.565      "
"      Maximum flow      0.003      0.020      0.021      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"          0.021      0.100      0.223      0.223"
" 33      CATCHMENT 209"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      209      No description"
"      80.000      % Impervious"
"      0.020      Total Area"
"      10.000      Flow length"
"      0.500      Overland Slope"
"      0.004      Pervious Area"
"      10.000      Pervious length"
"      0.500      Pervious slope"
"      0.016      Impervious Area"
"      10.000      Impervious length"
"      0.500      Impervious slope"
"      0.250      Pervious Manning 'n'"
"      78.000      Pervious SCS Curve No."
"      0.300      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"
"      0.015      Impervious Manning 'n'"
"      98.000      Impervious SCS Curve No."
"      0.889      Impervious Runoff coefficient"
"      0.100      Impervious Ia/S coefficient"
"      0.518      Impervious Initial abstraction"
"          0.005      0.100      0.223      0.223 c.m/sec"
"      Catchment 209      Pervious      Impervious      Total Area  "
"      Surface Area      0.004      0.016      0.020      hectare"
"      Time of concentration      14.324      1.604      2.604      minutes"
"      Time to Centroid      117.862      89.513      91.742      minutes"
"      Rainfall depth      46.462      46.462      46.462      mm"
"      Rainfall volume      1.86      7.43      9.29      c.m"
"      Rainfall losses      32.574      5.766      11.127      mm"
"      Runoff depth      13.888      40.696      35.334      mm"
"      Runoff volume      0.56      6.51      7.07      c.m"
"      Runoff coefficient      0.300      0.889      0.771      "
"      Maximum flow      0.000      0.005      0.005      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"          0.005      0.103      0.223      0.223"
" 40      HYDROGRAPH Copy to Outflow"
"      8      Copy to Outflow"
"          0.005      0.103      0.103      0.223"

```

```

A6814A_10yr_Pond_75mm_orifice_v3a.out
" 40      HYDROGRAPH      Combine      1"
"        6      Combine  "
"        1      Node #"
"
"        Maximum flow              0.326      c.m/sec"
"        Hydrograph volume          719.108      c.m"
"        0.005      0.103      0.103      0.326"
" 40      HYDROGRAPH Start - New Tributary"
"        2      Start - New Tributary"
"        0.005      0.000      0.103      0.326"
" 33      CATCHMENT 210"
"        1      Triangular SCS"
"        1      Equal length"
"        1      SCS method"
"        210     No description"
"        38.000   % Impervious"
"        0.260   Total Area"
"        22.000   Flow length"
"        0.500   Overland Slope"
"        0.161   Pervious Area"
"        22.000   Pervious length"
"        0.500   Pervious slope"
"        0.099   Impervious Area"
"        22.000   Impervious length"
"        0.500   Impervious slope"
"        0.250   Pervious Manning 'n'"
"        78.000   Pervious SCS Curve No."
"        0.300   Pervious Runoff coefficient"
"        0.100   Pervious Ia/S coefficient"
"        7.164   Pervious Initial abstraction"
"        0.015   Impervious Manning 'n'"
"        98.000   Impervious SCS Curve No."
"        0.889   Impervious Runoff coefficient"
"        0.100   Impervious Ia/S coefficient"
"        0.518   Impervious Initial abstraction"
"        0.027      0.000      0.103      0.326 c.m/sec"
"        Catchment 210      Pervious      Impervious      Total Area  "
"        Surface Area      0.161      0.099      0.260      hectare"
"        Time of concentration  22.989      2.575      9.907      minutes"
"        Time to Centroid      128.775      91.056      104.603      minutes"
"        Rainfall depth      46.462      46.462      46.462      mm"
"        Rainfall volume      74.90      45.90      120.80      c.m"
"        Rainfall losses      32.555      5.978      22.456      mm"
"        Runoff depth      13.906      40.484      24.006      mm"
"        Runoff volume      22.42      40.00      62.41      c.m"
"        Runoff coefficient      0.300      0.889      0.523      "
"        Maximum flow      0.006      0.026      0.027      c.m/sec"
" 40      HYDROGRAPH Add Runoff  "
"        4      Add Runoff  "
"        0.027      0.027      0.103      0.326"
" 40      HYDROGRAPH Copy to Outflow"
"        8      Copy to Outflow"
"        0.027      0.027      0.027      0.326"
" 40      HYDROGRAPH      Combine      1"
"        6      Combine  "
"        1      Node #"
"
"        Maximum flow              0.351      c.m/sec"
"        Hydrograph volume          781.522      c.m"
"        0.027      0.027      0.027      0.351"
" 40      HYDROGRAPH      Confluence      1"
"        7      Confluence  "
"        1      Node #"

```

```

"          A6814A_10yr_Pond_75mm orifice_v3a.out
"
"          Maximum flow          0.351      c.m/sec"
"          Hydrograph volume      781.522    c.m"
"          0.027      0.351      0.027      0.000"
" 54  POND DESIGN"
"          0.351      Current peak flow      c.m/sec"
"          0.233      Target outflow      c.m/sec"
"          782.0      Hydrograph volume      c.m"
"          14.      Number of stages"
"          401.250      Minimum water level      metre"
"          402.550      Maximum water level      metre"
"          401.250      Starting water level      metre"
"          0      Keep Design Data: 1 = True; 0 = False"
"          Level Discharge      Volume"
"          401.250      0.000      0.0"
"          401.350      0.004      27.3"
"          401.450      0.005      76.4"
"          401.550      0.006      130.2"
"          401.650      0.007      188.9"
"          401.750      0.008      252.7"
"          401.850      0.009      321.7"
"          401.950      0.010      396.1"
"          402.050      0.010      476.1"
"          402.150      0.011      561.7"
"          402.250      0.065      653.2"
"          402.350      0.137      750.7"
"          402.450      0.143      854.3"
"          402.550      0.455      963.0"
"          Peak outflow          0.033      c.m/sec"
"          Maximum level          402.191    metre"
"          Maximum storage          598.883    c.m"
"          Centroidal lag          10.130    hours"
"          0.027      0.351      0.033      0.000 c.m/sec"
" 40  HYDROGRAPH      Combine      2"
"          6      Combine "
"          2      Node #"
"          "
"          Maximum flow          0.033      c.m/sec"
"          Hydrograph volume      769.090    c.m"
"          0.027      0.351      0.033      0.033"
" 40  HYDROGRAPH Start - New Tributary"
"          2      Start - New Tributary"
"          0.027      0.000      0.033      0.033"
" 33  CATCHMENT 211"
"          1      Triangular SCS"
"          1      Equal length"
"          1      SCS method"
"          211      No description"
"          40.000      % Impervious"
"          0.260      Total Area"
"          47.000      Flow length"
"          2.500      Overland Slope"
"          0.156      Pervious Area"
"          47.000      Pervious length"
"          2.500      Pervious slope"
"          0.104      Impervious Area"
"          47.000      Impervious length"
"          2.500      Impervious slope"
"          0.250      Pervious Manning 'n'"
"          78.000      Pervious SCS Curve No."
"          0.300      Pervious Runoff coefficient"
"          0.100      Pervious Ia/S coefficient"
"          7.164      Pervious Initial abstraction"

```

```

A6814A_10yr_Pond_75mm orifice_v3a.out
" 0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
" 0.889 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.028 0.000 0.033 0.033 c.m/sec"
" Catchment 211 Pervious Impervious Total Area "
" Surface Area 0.156 0.104 0.260 hectare"
" Time of concentration 22.368 2.505 9.250 minutes"
" Time to Centroid 127.993 90.935 103.520 minutes"
" Rainfall depth 46.462 46.462 46.462 mm"
" Rainfall volume 72.48 48.32 120.80 c.m"
" Rainfall losses 32.572 5.944 21.921 mm"
" Runoff depth 13.890 40.517 24.541 mm"
" Runoff volume 21.67 42.14 63.81 c.m"
" Runoff coefficient 0.300 0.889 0.535 "
" Maximum flow 0.006 0.028 0.028 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.028 0.028 0.033 0.033"
" 40 HYDROGRAPH Copy to Outflow"
" 8 Copy to Outflow"
" 0.028 0.028 0.028 0.033"
" 40 HYDROGRAPH Combine 2"
" 6 Combine "
" 2 Node #"
" "
" Maximum flow 0.036 c.m/sec"
" Hydrograph volume 832.895 c.m"
" 0.028 0.028 0.028 0.036"
" 40 HYDROGRAPH Confluence 2"
" 7 Confluence "
" 2 Node #"
" "
" Maximum flow 0.036 c.m/sec"
" Hydrograph volume 832.895 c.m"
" 0.028 0.036 0.028 0.000"

```

```

A6814A_25yr_Pond_75mm_orifice_v3a.out
"      MIDUSS Output ----->"
"      MIDUSS version                      Version 2.07 rev. 385"
"      MIDUSS created                      August-08-05"
"      10 Units used:                      ie METRIC"
"      Job folder:                        O:\Private Development\
"      A6814A - Sinclair Subdivision\Design\Storm\SWM\MIDUSS JULY 2017"
"      Output filename:                    A6814A_25yr_Pond_100mm_orifice_v3a.out"
"      Licensee name:                      CPC"
"      Company                            Triton Engineering Services Ltd."
"      Date & Time last used:              20/07/2017 at 3:04:09 PM"
" 31      TIME PARAMETERS"
"      5.000 Time Step"
"      180.000 Max. Storm length"
"      1500.000 Max. Hydrograph"
" 32      STORM Chicago storm"
"      1 Chicago storm"
"      1387.380 Coefficient A"
"      9.697 Constant B"
"      0.820 Exponent C"
"      0.400 Fraction R"
"      180.000 Duration"
"      1.000 Time step multiplier"
"      Maximum intensity                    153.133 mm/hr"
"      Total depth                        56.404 mm"
"      6 025hyd Hydrograph extension used in this file"
" 33      CATCHMENT 200"
"      1 Triangular SCS"
"      1 Equal length"
"      1 SCS method"
"      200 No description"
"      43.000 % Impervious"
"      0.520 Total Area"
"      55.000 Flow length"
"      1.000 Overland Slope"
"      0.296 Pervious Area"
"      55.000 Pervious length"
"      1.000 Pervious slope"
"      0.224 Impervious Area"
"      55.000 Impervious length"
"      1.000 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.356 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
"      98.000 Impervious SCS Curve No."
"      0.907 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"      0.073 0.000 0.000 0.000 c.m/sec"
"      Catchment 200 Pervious Impervious Total Area "
"      Surface Area 0.296 0.224 0.520 hectare"
"      Time of concentration 27.641 3.361 11.760 minutes"
"      Time to Centroid 133.871 91.740 106.315 minutes"
"      Rainfall depth 56.404 56.404 56.404 mm"
"      Rainfall volume 167.18 126.12 293.30 c.m"
"      Rainfall losses 36.361 6.173 23.380 mm"
"      Runoff depth 20.042 50.231 33.023 mm"
"      Runoff volume 59.41 112.32 171.72 c.m"
"      Runoff coefficient 0.356 0.907 0.593 "
"      Maximum flow 0.015 0.068 0.073 c.m/sec"
" 40      HYDROGRAPH Add Runoff "

```

```

A6814A_25yr_Pond_75mm_orifice_v3a.out
"      4  Add Runoff "
"      0.073      0.073      0.000      0.000"
" 33    CATCHMENT 201"
"      1  Triangular SCS"
"      1  Equal length"
"      1  SCS method"
"      201 No description"
"      48.000 % Impervious"
"      0.460 Total Area"
"      56.000 Flow length"
"      0.600 Overland Slope"
"      0.239 Pervious Area"
"      56.000 Pervious length"
"      0.600 Pervious slope"
"      0.221 Impervious Area"
"      56.000 Impervious length"
"      0.600 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.356 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
"      98.000 Impervious SCS Curve No."
"      0.907 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"      0.072      0.073      0.000      0.000 c.m/sec"
"      Catchment 201      Pervious      Impervious      Total Area "
"      Surface Area      0.239      0.221      0.460      hectare"
"      Time of concentration      32.569      3.960      12.568      minutes"
"      Time to Centroid      140.191      92.609      106.927      minutes"
"      Rainfall depth      56.404      56.404      56.404      mm"
"      Rainfall volume      134.92      124.54      259.46      c.m"
"      Rainfall losses      36.356      5.947      21.759      mm"
"      Runoff depth      20.048      50.457      34.644      mm"
"      Runoff volume      47.95      111.41      159.36      c.m"
"      Runoff coefficient      0.356      0.907      0.620      "
"      Maximum flow      0.011      0.070      0.072      c.m/sec"
" 40    HYDROGRAPH Add Runoff "
"      4  Add Runoff "
"      0.072      0.145      0.000      0.000"
" 33    CATCHMENT 202"
"      1  Triangular SCS"
"      1  Equal length"
"      1  SCS method"
"      202 No description"
"      42.000 % Impervious"
"      0.410 Total Area"
"      54.000 Flow length"
"      0.600 Overland Slope"
"      0.238 Pervious Area"
"      54.000 Pervious length"
"      0.600 Pervious slope"
"      0.172 Impervious Area"
"      54.000 Impervious length"
"      0.600 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.356 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"

```

```

A6814A_25yr_Pond_75mm_orifice_v3a.out
" 98.000 Impervious SCS Curve No."
" 0.907 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.057 0.145 0.000 0.000 c.m/sec"
" Catchment 202 Pervious Impervious Total Area "
" Surface Area 0.238 0.172 0.410 hectare"
" Time of concentration 31.866 3.874 13.797 minutes"
" Time to Centroid 139.284 92.509 109.091 minutes"
" Rainfall depth 56.404 56.404 56.404 mm"
" Rainfall volume 134.13 97.13 231.25 c.m"
" Rainfall losses 36.366 6.019 23.620 mm"
" Runoff depth 20.038 50.385 32.784 mm"
" Runoff volume 47.65 86.76 134.41 c.m"
" Runoff coefficient 0.356 0.907 0.587 "
" Maximum flow 0.011 0.054 0.057 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.057 0.202 0.000 0.000"
" 33 CATCHMENT 204"
" 1 Triangular SCS"
" 1 Equal length"
" 1 SCS method"
" 204 No description"
" 30.000 % Impervious"
" 0.240 Total Area"
" 35.000 Flow length"
" 2.000 Overland Slope"
" 0.168 Pervious Area"
" 35.000 Pervious length"
" 2.000 Pervious slope"
" 0.072 Impervious Area"
" 35.000 Impervious length"
" 2.000 Impervious slope"
" 0.250 Pervious Manning 'n'"
" 78.000 Pervious SCS Curve No."
" 0.356 Pervious Runoff coefficient"
" 0.100 Pervious Ia/S coefficient"
" 7.164 Pervious Initial abstraction"
" 0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
" 0.907 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.026 0.202 0.000 0.000 c.m/sec"
" Catchment 204 Pervious Impervious Total Area "
" Surface Area 0.168 0.072 0.240 hectare"
" Time of concentration 17.118 2.081 9.317 minutes"
" Time to Centroid 120.400 89.774 104.510 minutes"
" Rainfall depth 56.404 56.404 56.404 mm"
" Rainfall volume 94.76 40.61 135.37 c.m"
" Rainfall losses 36.366 5.987 27.252 mm"
" Runoff depth 20.038 50.417 29.151 mm"
" Runoff volume 33.66 36.30 69.96 c.m"
" Runoff coefficient 0.356 0.907 0.521 "
" Maximum flow 0.012 0.024 0.026 c.m/sec"
" 33 CATCHMENT 203"
" 1 Triangular SCS"
" 1 Equal length"
" 1 SCS method"
" 203 No description"
" 52.000 % Impervious"
" 0.280 Total Area"

```

```

A6814A_25yr_Pond_75mm_orifice_v3a.out
" 47.000 Flow length"
" 0.800 Overland Slope"
" 0.134 Pervious Area"
" 47.000 Pervious length"
" 0.800 Pervious slope"
" 0.146 Impervious Area"
" 47.000 Impervious length"
" 0.800 Impervious slope"
" 0.250 Pervious Manning 'n'"
" 78.000 Pervious SCS Curve No."
" 0.356 Pervious Runoff coefficient"
" 0.100 Pervious Ia/S coefficient"
" 7.164 Pervious Initial abstraction"
" 0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
" 0.907 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.046 0.202 0.000 0.000 c.m/sec"
" Catchment 203 Pervious Impervious Total Area "
" Surface Area 0.134 0.146 0.280 hectare"
" Time of concentration 26.894 3.270 9.628 minutes"
" Time to Centroid 132.915 91.598 102.718 minutes"
" Rainfall depth 56.404 56.404 56.404 mm"
" Rainfall volume 75.81 82.12 157.93 c.m"
" Rainfall losses 36.354 6.150 20.648 mm"
" Runoff depth 20.049 50.254 35.756 mm"
" Runoff volume 26.95 73.17 100.12 c.m"
" Runoff coefficient 0.356 0.907 0.642 "
" Maximum flow 0.007 0.044 0.046 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.046 0.248 0.000 0.000"
" 40 HYDROGRAPH Copy to Outflow"
" 8 Copy to Outflow"
" 0.046 0.248 0.248 0.000"
" 40 HYDROGRAPH Combine 1"
" 6 Combine "
" 1 Node #"
" "
" Maximum flow 0.248 c.m/sec"
" Hydrograph volume 565.614 c.m"
" 0.046 0.248 0.248 0.248"
" 40 HYDROGRAPH Start - New Tributary"
" 2 Start - New Tributary"
" 0.046 0.000 0.248 0.248"
" 33 CATCHMENT 205"
" 1 Triangular SCS"
" 1 Equal length"
" 1 SCS method"
" 205 No description"
" 39.000 % Impervious"
" 0.320 Total Area"
" 74.000 Flow length"
" 0.800 Overland Slope"
" 0.195 Pervious Area"
" 74.000 Pervious length"
" 0.800 Pervious slope"
" 0.125 Impervious Area"
" 74.000 Impervious length"
" 0.800 Impervious slope"
" 0.250 Pervious Manning 'n'"
" 78.000 Pervious SCS Curve No."

```

```

A6814A_25yr_Pond_75mm_orifice_v3a.out
" 0.356 Pervious Runoff coefficient"
" 0.100 Pervious Ia/S coefficient"
" 7.164 Pervious Initial abstraction"
" 0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
" 0.907 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.042 0.000 0.248 0.248 c.m/sec"
" Catchment 205 Pervious Impervious Total Area "
" Surface Area 0.195 0.125 0.320 hectare"
" Time of concentration 35.314 4.293 16.155 minutes"
" Time to Centroid 143.706 93.099 112.449 minutes"
" Rainfall depth 56.404 56.404 56.404 mm"
" Rainfall volume 110.10 70.39 180.49 c.m"
" Rainfall losses 36.358 5.759 24.424 mm"
" Runoff depth 20.046 50.645 31.979 mm"
" Runoff volume 39.13 63.21 102.33 c.m"
" Runoff coefficient 0.356 0.907 0.571 "
" Maximum flow 0.009 0.040 0.042 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.042 0.042 0.248 0.248"
" 33 CATCHMENT 206"
" 1 Triangular SCS"
" 1 Equal length"
" 1 SCS method"
" 206 No description"
" 5.000 % Impervious"
" 0.210 Total Area"
" 12.000 Flow length"
" 2.000 Overland Slope"
" 0.199 Pervious Area"
" 12.000 Pervious length"
" 2.000 Pervious slope"
" 0.010 Impervious Area"
" 12.000 Impervious length"
" 2.000 Impervious slope"
" 0.250 Pervious Manning 'n'"
" 78.000 Pervious SCS Curve No."
" 0.356 Pervious Runoff coefficient"
" 0.100 Pervious Ia/S coefficient"
" 7.164 Pervious Initial abstraction"
" 0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
" 0.907 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.020 0.042 0.248 0.248 c.m/sec"
" Catchment 206 Pervious Impervious Total Area "
" Surface Area 0.199 0.010 0.210 hectare"
" Time of concentration 9.006 1.095 8.089 minutes"
" Time to Centroid 110.011 88.233 107.487 minutes"
" Rainfall depth 56.404 56.404 56.404 mm"
" Rainfall volume 112.53 5.92 118.45 c.m"
" Rainfall losses 36.430 6.656 34.941 mm"
" Runoff depth 19.974 49.748 21.462 mm"
" Runoff volume 39.85 5.22 45.07 c.m"
" Runoff coefficient 0.356 0.907 0.383 "
" Maximum flow 0.019 0.004 0.020 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.020 0.061 0.248 0.248"

```

```

" 33      CATCHMENT 207"
"          1 Triangular SCS"
"          1 Equal length"
"          1 SCS method"
"          207 No description"
"          51.000 % Impervious"
"          0.240 Total Area"
"          71.000 Flow length"
"          0.800 Overland Slope"
"          0.118 Pervious Area"
"          71.000 Pervious length"
"          0.800 Pervious slope"
"          0.122 Impervious Area"
"          71.000 Impervious length"
"          0.800 Impervious slope"
"          0.250 Pervious Manning 'n'"
"          78.000 Pervious SCS Curve No."
"          0.356 Pervious Runoff coefficient"
"          0.100 Pervious Ia/S coefficient"
"          7.164 Pervious Initial abstraction"
"          0.015 Impervious Manning 'n'"
"          98.000 Impervious SCS Curve No."
"          0.907 Impervious Runoff coefficient"
"          0.100 Impervious Ia/S coefficient"
"          0.518 Impervious Initial abstraction"
"              0.040      0.061      0.248      0.248 c.m/sec"
"          Catchment 207      Pervious      Impervious      Total Area "
"          Surface Area      0.118      0.122      0.240      hectare"
"          Time of concentration      34.448      4.188      12.534      minutes"
"          Time to Centroid      142.590      92.938      106.632      minutes"
"          Rainfall depth      56.404      56.404      56.404      mm"
"          Rainfall volume      66.33      69.04      135.37      c.m"
"          Rainfall losses      36.356      5.826      20.786      mm"
"          Runoff depth      20.047      50.577      35.618      mm"
"          Runoff volume      23.58      61.91      85.48      c.m"
"          Runoff coefficient      0.356      0.907      0.637      "
"          Maximum flow      0.005      0.039      0.040      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"          4 Add Runoff "
"              0.040      0.101      0.248      0.248"
" 33      CATCHMENT 208"
"          1 Triangular SCS"
"          1 Equal length"
"          1 SCS method"
"          208 No description"
"          45.000 % Impervious"
"          0.180 Total Area"
"          45.000 Flow length"
"          0.800 Overland Slope"
"          0.099 Pervious Area"
"          45.000 Pervious length"
"          0.800 Pervious slope"
"          0.081 Impervious Area"
"          45.000 Impervious length"
"          0.800 Impervious slope"
"          0.250 Pervious Manning 'n'"
"          78.000 Pervious SCS Curve No."
"          0.356 Pervious Runoff coefficient"
"          0.100 Pervious Ia/S coefficient"
"          7.164 Pervious Initial abstraction"
"          0.015 Impervious Manning 'n'"
"          98.000 Impervious SCS Curve No."
"          0.907 Impervious Runoff coefficient"

```

```

A6814A_25yr_Pond_75mm_orifice_v3a.out
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
"      0.026      0.101      0.248      0.248 c.m/sec"
"      Catchment 208      Pervious      Impervious      Total Area      "
"      Surface Area      0.099      0.081      0.180      hectare"
"      Time of concentration      26.202      3.186      10.729      minutes"
"      Time to Centroid      132.030      91.460      104.757      minutes"
"      Rainfall depth      56.404      56.404      56.404      mm"
"      Rainfall volume      55.84      45.69      101.53      c.m"
"      Rainfall losses      36.357      6.149      22.763      mm"
"      Runoff depth      20.047      50.255      33.640      mm"
"      Runoff volume      19.85      40.71      60.55      c.m"
"      Runoff coefficient      0.356      0.907      0.604      "
"      Maximum flow      0.005      0.025      0.026      c.m/sec"
" 40 HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.026      0.127      0.248      0.248"
" 33 CATCHMENT 209"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      209      No description"
"      80.000      % Impervious"
"      0.020      Total Area"
"      10.000      Flow length"
"      0.500      Overland Slope"
"      0.004      Pervious Area"
"      10.000      Pervious length"
"      0.500      Pervious slope"
"      0.016      Impervious Area"
"      10.000      Impervious length"
"      0.500      Impervious slope"
"      0.250      Pervious Manning 'n'"
"      78.000      Pervious SCS Curve No."
"      0.356      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"
"      0.015      Impervious Manning 'n'"
"      98.000      Impervious SCS Curve No."
"      0.907      Impervious Runoff coefficient"
"      0.100      Impervious Ia/S coefficient"
"      0.518      Impervious Initial abstraction"
"      0.006      0.127      0.248      0.248 c.m/sec"
"      Catchment 209      Pervious      Impervious      Total Area      "
"      Surface Area      0.004      0.016      0.020      hectare"
"      Time of concentration      12.236      1.488      2.459      minutes"
"      Time to Centroid      114.144      88.885      91.168      minutes"
"      Rainfall depth      56.404      56.404      56.404      mm"
"      Rainfall volume      2.26      9.02      11.28      c.m"
"      Rainfall losses      36.387      6.036      12.106      mm"
"      Runoff depth      20.016      50.368      44.298      mm"
"      Runoff volume      0.80      8.06      8.86      c.m"
"      Runoff coefficient      0.356      0.907      0.796      "
"      Maximum flow      0.000      0.006      0.006      c.m/sec"
" 40 HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.006      0.131      0.248      0.248"
" 40 HYDROGRAPH Copy to Outflow"
"      8      Copy to Outflow"
"      0.006      0.131      0.131      0.248"
" 40 HYDROGRAPH Combine 1"
"      6      Combine "
"      1      Node #"

```

```

"          A6814A_25yr_Pond_75mm orifice_v3a.out
"
"          Maximum flow          0.379      c.m/sec"
"          Hydrograph volume      867.914      c.m"
"          0.006      0.131      0.131      0.379"
" 40          HYDROGRAPH Start - New Tributary"
"          2      Start - New Tributary"
"          0.006      0.000      0.131      0.379"
" 33          CATCHMENT 210"
"          1      Triangular SCS"
"          1      Equal length"
"          1      SCS method"
"          210      No description"
"          38.000      % Impervious"
"          0.260      Total Area"
"          22.000      Flow length"
"          0.500      Overland Slope"
"          0.161      Pervious Area"
"          22.000      Pervious length"
"          0.500      Pervious slope"
"          0.099      Impervious Area"
"          22.000      Impervious length"
"          0.500      Impervious slope"
"          0.250      Pervious Manning 'n'"
"          78.000      Pervious SCS Curve No."
"          0.356      Pervious Runoff coefficient"
"          0.100      Pervious Ia/S coefficient"
"          7.164      Pervious Initial abstraction"
"          0.015      Impervious Manning 'n'"
"          98.000      Impervious SCS Curve No."
"          0.907      Impervious Runoff coefficient"
"          0.100      Impervious Ia/S coefficient"
"          0.518      Impervious Initial abstraction"
"          0.034      0.000      0.131      0.379 c.m/sec"
"          Catchment 210      Pervious      Impervious      Total Area      "
"          Surface Area      0.161      0.099      0.260      hectare"
"          Time of concentration      19.638      2.388      9.181      minutes"
"          Time to Centroid      123.630      90.242      103.390      minutes"
"          Rainfall depth      56.404      56.404      56.404      mm"
"          Rainfall volume      90.92      55.73      146.65      c.m"
"          Rainfall losses      36.382      6.115      24.881      mm"
"          Runoff depth      20.022      50.288      31.523      mm"
"          Runoff volume      32.27      49.68      81.96      c.m"
"          Runoff coefficient      0.356      0.907      0.565      "
"          Maximum flow      0.010      0.032      0.034      c.m/sec"
" 40          HYDROGRAPH Add Runoff "
"          4      Add Runoff "
"          0.034      0.034      0.131      0.379"
" 40          HYDROGRAPH Copy to Outflow"
"          8      Copy to Outflow"
"          0.034      0.034      0.034      0.379"
" 40          HYDROGRAPH Combine      1"
"          6      Combine "
"          1      Node #"
"          "
"          Maximum flow          0.411      c.m/sec"
"          Hydrograph volume      949.873      c.m"
"          0.034      0.034      0.034      0.411"
" 40          HYDROGRAPH Confluence      1"
"          7      Confluence "
"          1      Node #"
"          "
"          Maximum flow          0.411      c.m/sec"
"          Hydrograph volume      949.873      c.m"

```

```

A6814A_25yr_Pond_75mm_orifice_v3a.out
0.034 0.411 0.034 0.000"
" 54 POND DESIGN"
" 0.411 Current peak flow c.m/sec"
" 0.233 Target outflow c.m/sec"
" 950.0 Hydrograph volume c.m"
" 14. Number of stages"
" 401.250 Minimum water level metre"
" 402.550 Maximum water level metre"
" 401.250 Starting water level metre"
" 0 Keep Design Data: 1 = True; 0 = False"
" Level Discharge Volume"
" 401.250 0.000 0.0"
" 401.350 0.004 27.3"
" 401.450 0.005 76.4"
" 401.550 0.006 130.2"
" 401.650 0.007 188.9"
" 401.750 0.008 252.7"
" 401.850 0.009 321.7"
" 401.950 0.010 396.1"
" 402.050 0.010 476.1"
" 402.150 0.011 561.7"
" 402.250 0.065 653.2"
" 402.350 0.137 750.7"
" 402.450 0.143 854.3"
" 402.550 0.455 963.0"
" Peak outflow 0.063 c.m/sec"
" Maximum level 402.245 metre"
" Maximum storage 649.079 c.m"
" Centroidal lag 8.829 hours"
" 0.034 0.411 0.063 0.000 c.m/sec"
" 40 HYDROGRAPH Combine 2"
" 6 Combine "
" 2 Node #"
" "
" Maximum flow 0.063 c.m/sec"
" Hydrograph volume 936.847 c.m"
" 0.034 0.411 0.063 0.063"
" 40 HYDROGRAPH Start - New Tributary"
" 2 Start - New Tributary"
" 0.034 0.000 0.063 0.063"
" 33 CATCHMENT 211"
" 1 Triangular SCS"
" 1 Equal length"
" 1 SCS method"
" 211 No description"
" 40.000 % Impervious"
" 0.260 Total Area"
" 47.000 Flow length"
" 2.500 Overland Slope"
" 0.156 Pervious Area"
" 47.000 Pervious length"
" 2.500 Pervious slope"
" 0.104 Impervious Area"
" 47.000 Impervious length"
" 2.500 Impervious slope"
" 0.250 Pervious Manning 'n'"
" 78.000 Pervious SCS Curve No."
" 0.356 Pervious Runoff coefficient"
" 0.100 Pervious Ia/S coefficient"
" 7.164 Pervious Initial abstraction"
" 0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
" 0.907 Impervious Runoff coefficient"

```

```

A6814A_25yr_Pond_75mm_orifice_v3a.out
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
"      0.036      0.000      0.063      0.063 c.m/sec"
" Catchment 211 Pervious Impervious Total Area "
" Surface Area      0.156      0.104      0.260 hectare"
" Time of concentration 19.108      2.323      8.595 minutes"
" Time to Centroid 122.957      90.149      102.409 minutes"
" Rainfall depth 56.404      56.404      56.404 mm"
" Rainfall volume 87.99      58.66      146.65 c.m"
" Rainfall losses 36.388      6.082      24.266 mm"
" Runoff depth 20.016      50.321      32.138 mm"
" Runoff volume 31.22      52.33      83.56 c.m"
" Runoff coefficient 0.356      0.907      0.576 "
" Maximum flow 0.010      0.034      0.036 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
"      0.036      0.036      0.063      0.063"
" 40 HYDROGRAPH Copy to Outflow"
" 8 Copy to Outflow"
"      0.036      0.036      0.036      0.063"
" 40 HYDROGRAPH Combine 2"
" 6 Combine "
" 2 Node #"
"
" Maximum flow      0.068 c.m/sec"
" Hydrograph volume 1020.406 c.m"
"      0.036      0.036      0.036      0.068"
" 40 HYDROGRAPH Confluence 2"
" 7 Confluence "
" 2 Node #"
"
" Maximum flow      0.068 c.m/sec"
" Hydrograph volume 1020.406 c.m"
"      0.036      0.068      0.036      0.000"

```

```

A6814A_50yr_Pond_75mm_orifice_v3a.out
"      MIDUSS Output ----->"
"      MIDUSS version                      Version 2.07 rev. 385"
"      MIDUSS created                      August-08-05"
"      10 Units used:                      ie METRIC"
"      Job folder:                        O:\Private Development\
"      A6814A - Sinclair Subdivision\Design\Storm\SWM\MIDUSS JULY 2017"
"      Output filename:                    A6814A_50yr_Pond_100mm_orifice_v3a.out"
"      Licensee name:                      CPC"
"      Company                            Triton Engineering Services Ltd."
"      Date & Time last used:              20/07/2017 at 3:01:10 PM"
" 31      TIME PARAMETERS"
"      5.000 Time Step"
"      180.000 Max. Storm length"
"      1500.000 Max. Hydrograph"
" 32      STORM Chicago storm"
"      1 Chicago storm"
"      1644.390 Coefficient A"
"      11.085 Constant B"
"      0.829 Exponent C"
"      0.400 Fraction R"
"      180.000 Duration"
"      1.000 Time step multiplier"
"      Maximum intensity                    164.392 mm/hr"
"      Total depth                        63.385 mm"
"      6 050hyd Hydrograph extension used in this file"
" 33      CATCHMENT 200"
"      1 Triangular SCS"
"      1 Equal length"
"      1 SCS method"
"      200 No description"
"      43.000 % Impervious"
"      0.520 Total Area"
"      55.000 Flow length"
"      1.000 Overland Slope"
"      0.296 Pervious Area"
"      55.000 Pervious length"
"      1.000 Pervious slope"
"      0.224 Impervious Area"
"      55.000 Impervious length"
"      1.000 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.390 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
"      98.000 Impervious SCS Curve No."
"      0.916 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"      0.081 0.000 0.000 0.000 c.m/sec"
"      Catchment 200 Pervious Impervious Total Area "
"      Surface Area 0.296 0.224 0.520 hectare"
"      Time of concentration 25.668 3.258 11.428 minutes"
"      Time to Centroid 130.597 91.275 105.611 minutes"
"      Rainfall depth 63.385 63.385 63.385 mm"
"      Rainfall volume 187.87 141.73 329.60 c.m"
"      Rainfall losses 38.694 6.342 24.783 mm"
"      Runoff depth 24.691 57.043 38.603 mm"
"      Runoff volume 73.19 127.55 200.73 c.m"
"      Runoff coefficient 0.390 0.916 0.616 "
"      Maximum flow 0.020 0.075 0.081 c.m/sec"
" 40      HYDROGRAPH Add Runoff "

```

```

A6814A_50yr_Pond_75mm_orifice_v3a.out
"      4  Add Runoff "
"      0.081      0.081      0.000      0.000"
" 33    CATCHMENT 201"
"      1  Triangular SCS"
"      1  Equal length"
"      1  SCS method"
"      201 No description"
"      48.000 % Impervious"
"      0.460 Total Area"
"      56.000 Flow length"
"      0.600 Overland Slope"
"      0.239 Pervious Area"
"      56.000 Pervious length"
"      0.600 Pervious slope"
"      0.221 Impervious Area"
"      56.000 Impervious length"
"      0.600 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.390 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
"      98.000 Impervious SCS Curve No."
"      0.916 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"      0.080      0.081      0.000      0.000 c.m/sec"
"      Catchment 201      Pervious      Impervious      Total Area "
"      Surface Area      0.239      0.221      0.460      hectare"
"      Time of concentration      30.244      3.839      12.258      minutes"
"      Time to Centroid      136.434      92.150      106.270      minutes"
"      Rainfall depth      63.385      63.385      63.385      mm"
"      Rainfall volume      151.62      139.95      291.57      c.m"
"      Rainfall losses      38.680      6.212      23.095      mm"
"      Runoff depth      24.705      57.174      40.290      mm"
"      Runoff volume      59.09      126.24      185.33      c.m"
"      Runoff coefficient      0.390      0.916      0.643      "
"      Maximum flow      0.014      0.076      0.080      c.m/sec"
" 40    HYDROGRAPH Add Runoff "
"      4  Add Runoff "
"      0.080      0.160      0.000      0.000"
" 33    CATCHMENT 202"
"      1  Triangular SCS"
"      1  Equal length"
"      1  SCS method"
"      202 No description"
"      42.000 % Impervious"
"      0.410 Total Area"
"      54.000 Flow length"
"      0.600 Overland Slope"
"      0.238 Pervious Area"
"      54.000 Pervious length"
"      0.600 Pervious slope"
"      0.172 Impervious Area"
"      54.000 Impervious length"
"      0.600 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.390 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"

```

```

A6814A_50yr_Pond_75mm_orifice_v3a.out
" 98.000 Impervious SCS Curve No."
" 0.916 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.063 0.160 0.000 0.000 c.m/sec"
" Catchment 202 Pervious Impervious Total Area "
" Surface Area 0.238 0.172 0.410 hectare"
" Time of concentration 29.591 3.756 13.425 minutes"
" Time to Centroid 135.599 92.038 108.342 minutes"
" Rainfall depth 63.385 63.385 63.385 mm"
" Rainfall volume 150.73 109.15 259.88 c.m"
" Rainfall losses 38.675 6.336 25.093 mm"
" Runoff depth 24.710 57.050 38.293 mm"
" Runoff volume 58.76 98.24 157.00 c.m"
" Runoff coefficient 0.390 0.916 0.611 "
" Maximum flow 0.015 0.059 0.063 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.063 0.223 0.000 0.000"
" 33 CATCHMENT 204"
" 1 Triangular SCS"
" 1 Equal length"
" 1 SCS method"
" 204 No description"
" 30.000 % Impervious"
" 0.240 Total Area"
" 35.000 Flow length"
" 2.000 Overland Slope"
" 0.168 Pervious Area"
" 35.000 Pervious length"
" 2.000 Pervious slope"
" 0.072 Impervious Area"
" 35.000 Impervious length"
" 2.000 Impervious slope"
" 0.250 Pervious Manning 'n'"
" 78.000 Pervious SCS Curve No."
" 0.390 Pervious Runoff coefficient"
" 0.100 Pervious Ia/S coefficient"
" 7.164 Pervious Initial abstraction"
" 0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
" 0.916 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.029 0.223 0.000 0.000 c.m/sec"
" Catchment 204 Pervious Impervious Total Area "
" Surface Area 0.168 0.072 0.240 hectare"
" Time of concentration 15.896 2.018 8.978 minutes"
" Time to Centroid 118.150 89.391 103.815 minutes"
" Rainfall depth 63.385 63.385 63.385 mm"
" Rainfall volume 106.49 45.64 152.12 c.m"
" Rainfall losses 38.718 6.178 28.956 mm"
" Runoff depth 24.667 57.207 34.429 mm"
" Runoff volume 41.44 41.19 82.63 c.m"
" Runoff coefficient 0.390 0.916 0.548 "
" Maximum flow 0.015 0.026 0.029 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.029 0.252 0.000 0.000"
" 33 CATCHMENT 203"
" 1 Triangular SCS"
" 1 Equal length"
" 1 SCS method"

```

A6814A_50yr_Pond_75mm_orifice_v3a.out

```

"      203    No description"
"      52.000 % Impervious"
"      0.280 Total Area"
"      47.000 Flow length"
"      0.800 Overland Slope"
"      0.134 Pervious Area"
"      47.000 Pervious length"
"      0.800 Pervious slope"
"      0.146 Impervious Area"
"      47.000 Impervious length"
"      0.800 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.390 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
"      98.000 Impervious SCS Curve No."
"      0.916 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"      0.051      0.252      0.000      0.000 c.m/sec"
"      Catchment 203      Pervious      Impervious      Total Area      "
"      Surface Area      0.134      0.146      0.280      hectare"
"      Time of concentration      24.975      3.170      9.395      minutes"
"      Time to Centroid      129.717      91.161      102.167      minutes"
"      Rainfall depth      63.385      63.385      63.385      mm"
"      Rainfall volume      85.19      92.29      177.48      c.m"
"      Rainfall losses      38.694      6.335      21.868      mm"
"      Runoff depth      24.691      57.050      41.518      mm"
"      Runoff volume      33.18      83.06      116.25      c.m"
"      Runoff coefficient      0.390      0.916      0.664      "
"      Maximum flow      0.009      0.049      0.051      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.051      0.303      0.000      0.000"
" 40      HYDROGRAPH Copy to Outflow"
"      8      Copy to Outflow"
"      0.051      0.303      0.303      0.000"
" 40      HYDROGRAPH Combine      1"
"      6      Combine "
"      1      Node #"
"      "
"      Maximum flow      0.303      c.m/sec"
"      Hydrograph volume      741.949      c.m"
"      0.051      0.303      0.303      0.303"
" 40      HYDROGRAPH Start - New Tributary"
"      2      Start - New Tributary"
"      0.051      0.000      0.303      0.303"
" 33      CATCHMENT 205"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      205    No description"
"      39.000 % Impervious"
"      0.320 Total Area"
"      74.000 Flow length"
"      0.800 Overland Slope"
"      0.195 Pervious Area"
"      74.000 Pervious length"
"      0.800 Pervious slope"
"      0.125 Impervious Area"
"      74.000 Impervious length"

```

```

A6814A_50yr_Pond_75mm_orifice_v3a.out
"      0.800    Impervious slope"
"      0.250    Pervious Manning 'n'"
"     78.000    Pervious SCS Curve No."
"      0.390    Pervious Runoff coefficient"
"      0.100    Pervious Ia/S coefficient"
"      7.164    Pervious Initial abstraction"
"      0.015    Impervious Manning 'n'"
"     98.000    Impervious SCS Curve No."
"      0.916    Impervious Runoff coefficient"
"      0.100    Impervious Ia/S coefficient"
"      0.518    Impervious Initial abstraction"
"          0.046      0.000      0.303      0.303 c.m/sec"
"      Catchment 205      Pervious      Impervious      Total Area  "
"      Surface Area      0.195      0.125      0.320      hectare"
"      Time of concentration      32.793      4.163      15.674      minutes"
"      Time to Centroid      139.694      92.576      111.522      minutes"
"      Rainfall depth      63.385      63.385      63.385      mm"
"      Rainfall volume      123.73      79.10      202.83      c.m"
"      Rainfall losses      38.676      5.914      25.899      mm"
"      Runoff depth      24.709      57.471      37.487      mm"
"      Runoff volume      48.23      71.72      119.96      c.m"
"      Runoff coefficient      0.390      0.916      0.595      "
"      Maximum flow      0.011      0.044      0.046      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"          0.046      0.046      0.303      0.303"
" 33      CATCHMENT 206"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      206      No description"
"      5.000      % Impervious"
"      0.210      Total Area"
"     12.000      Flow length"
"      2.000      Overland Slope"
"      0.199      Pervious Area"
"     12.000      Pervious length"
"      2.000      Pervious slope"
"      0.010      Impervious Area"
"     12.000      Impervious length"
"      2.000      Impervious slope"
"      0.250      Pervious Manning 'n'"
"     78.000      Pervious SCS Curve No."
"      0.390      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"
"      0.015      Impervious Manning 'n'"
"     98.000      Impervious SCS Curve No."
"      0.916      Impervious Runoff coefficient"
"      0.100      Impervious Ia/S coefficient"
"      0.518      Impervious Initial abstraction"
"          0.026      0.046      0.303      0.303 c.m/sec"
"      Catchment 206      Pervious      Impervious      Total Area  "
"      Surface Area      0.199      0.010      0.210      hectare"
"      Time of concentration      8.363      1.062      7.578      minutes"
"      Time to Centroid      108.492      87.920      106.279      minutes"
"      Rainfall depth      63.385      63.385      63.385      mm"
"      Rainfall volume      126.45      6.66      133.11      c.m"
"      Rainfall losses      38.757      6.971      37.168      mm"
"      Runoff depth      24.628      56.414      26.217      mm"
"      Runoff volume      49.13      5.92      55.06      c.m"
"      Runoff coefficient      0.390      0.916      0.416      "
"      Maximum flow      0.024      0.004      0.026      c.m/sec"

```

```

A6814A_50yr_Pond_75mm_orifice_v3a.out
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.026      0.071      0.303      0.303"
" 33      CATCHMENT 207"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      207      No description"
"      51.000      % Impervious"
"      0.240      Total Area"
"      71.000      Flow length"
"      0.800      Overland Slope"
"      0.118      Pervious Area"
"      71.000      Pervious length"
"      0.800      Pervious slope"
"      0.122      Impervious Area"
"      71.000      Impervious length"
"      0.800      Impervious slope"
"      0.250      Pervious Manning 'n'"
"      78.000      Pervious SCS Curve No."
"      0.390      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"
"      0.015      Impervious Manning 'n'"
"      98.000      Impervious SCS Curve No."
"      0.916      Impervious Runoff coefficient"
"      0.100      Impervious Ia/S coefficient"
"      0.518      Impervious Initial abstraction"
"      0.044      0.071      0.303      0.303 c.m/sec"
"      Catchment 207      Pervious      Impervious      Total Area      "
"      Surface Area      0.118      0.122      0.240      hectare"
"      Time of concentration      31.989      4.061      12.230      minutes"
"      Time to Centroid      138.663      92.433      105.955      minutes"
"      Rainfall depth      63.385      63.385      63.385      mm"
"      Rainfall volume      74.54      77.58      152.12      c.m"
"      Rainfall losses      38.684      5.980      22.005      mm"
"      Runoff depth      24.702      57.405      41.380      mm"
"      Runoff volume      29.05      70.26      99.31      c.m"
"      Runoff coefficient      0.390      0.916      0.658      "
"      Maximum flow      0.007      0.042      0.044      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.044      0.115      0.303      0.303"
" 33      CATCHMENT 208"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      208      No description"
"      45.000      % Impervious"
"      0.180      Total Area"
"      45.000      Flow length"
"      0.800      Overland Slope"
"      0.099      Pervious Area"
"      45.000      Pervious length"
"      0.800      Pervious slope"
"      0.081      Impervious Area"
"      45.000      Impervious length"
"      0.800      Impervious slope"
"      0.250      Pervious Manning 'n'"
"      78.000      Pervious SCS Curve No."
"      0.390      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"

```

```

A6814A_50yr_Pond_75mm_orifice_v3a.out
"      0.015  Impervious Manning 'n'"
" 98.000  Impervious SCS Curve No."
"      0.916  Impervious Runoff coefficient"
"      0.100  Impervious Ia/S coefficient"
"      0.518  Impervious Initial abstraction"
"          0.029      0.115      0.303      0.303 c.m/sec"
"      Catchment 208      Pervious      Impervious      Total Area  "
"      Surface Area      0.099      0.081      0.180      hectare"
"      Time of concentration      24.331      3.089      10.443      minutes"
"      Time to Centroid      128.893      91.045      104.148      minutes"
"      Rainfall depth      63.385      63.385      63.385      mm"
"      Rainfall volume      62.75      51.34      114.09      c.m"
"      Rainfall losses      38.679      6.358      24.135      mm"
"      Runoff depth      24.707      57.027      39.251      mm"
"      Runoff volume      24.46      46.19      70.65      c.m"
"      Runoff coefficient      0.390      0.916      0.627      "
"      Maximum flow      0.007      0.028      0.029      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"          0.029      0.144      0.303      0.303"
" 33      CATCHMENT 209"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      209      No description"
" 80.000      % Impervious"
"      0.020      Total Area"
" 10.000      Flow length"
"      0.500      Overland Slope"
"      0.004      Pervious Area"
" 10.000      Pervious length"
"      0.500      Pervious slope"
"      0.016      Impervious Area"
" 10.000      Impervious length"
"      0.500      Impervious slope"
"      0.250      Pervious Manning 'n'"
" 78.000      Pervious SCS Curve No."
"      0.390      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"
"      0.015      Impervious Manning 'n'"
" 98.000      Impervious SCS Curve No."
"      0.916      Impervious Runoff coefficient"
"      0.100      Impervious Ia/S coefficient"
"      0.518      Impervious Initial abstraction"
"          0.006      0.144      0.303      0.303 c.m/sec"
"      Catchment 209      Pervious      Impervious      Total Area  "
"      Surface Area      0.004      0.016      0.020      hectare"
"      Time of concentration      11.363      1.442      2.407      minutes"
"      Time to Centroid      112.333      88.557      90.870      minutes"
"      Rainfall depth      63.385      63.385      63.385      mm"
"      Rainfall volume      2.54      10.14      12.68      c.m"
"      Rainfall losses      38.745      6.213      12.719      mm"
"      Runoff depth      24.641      57.172      50.666      mm"
"      Runoff volume      0.99      9.15      10.13      c.m"
"      Runoff coefficient      0.390      0.916      0.811      "
"      Maximum flow      0.000      0.006      0.006      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"          0.006      0.149      0.303      0.303"
" 40      HYDROGRAPH Copy to Outflow"
"      8      Copy to Outflow"
"          0.006      0.149      0.149      0.303"

```

```

A6814A_50yr_Pond_75mm_orifice_v3a.out
" 40      HYDROGRAPH   Combine   1"
"        6   Combine   "
"        1   Node #"
"
"        Maximum flow           0.452   c.m/sec"
"        Hydrograph volume       1097.060   c.m"
"        0.006   0.149   0.149   0.452"
" 40      HYDROGRAPH Start - New Tributary"
"        2   Start - New Tributary"
"        0.006   0.000   0.149   0.452"
" 33      CATCHMENT 210"
"        1   Triangular SCS"
"        1   Equal length"
"        1   SCS method"
"        210   No description"
"        38.000   % Impervious"
"        0.260   Total Area"
"        22.000   Flow length"
"        0.500   Overland Slope"
"        0.161   Pervious Area"
"        22.000   Pervious length"
"        0.500   Pervious slope"
"        0.099   Impervious Area"
"        22.000   Impervious length"
"        0.500   Impervious slope"
"        0.250   Pervious Manning 'n'"
"        78.000   Pervious SCS Curve No."
"        0.390   Pervious Runoff coefficient"
"        0.100   Pervious Ia/S coefficient"
"        7.164   Pervious Initial abstraction"
"        0.015   Impervious Manning 'n'"
"        98.000   Impervious SCS Curve No."
"        0.916   Impervious Runoff coefficient"
"        0.100   Impervious Ia/S coefficient"
"        0.518   Impervious Initial abstraction"
"        0.038   0.000   0.149   0.452 c.m/sec"
"        Catchment 210      Pervious      Impervious      Total Area   "
"        Surface Area      0.161      0.099      0.260      hectare"
"        Time of concentration 18.236      2.315      8.901      minutes"
"        Time to Centroid    121.092      89.855      102.777     minutes"
"        Rainfall depth      63.385      63.385      63.385      mm"
"        Rainfall volume     102.18      62.62      164.80      c.m"
"        Rainfall losses      38.688      6.271      26.370      mm"
"        Runoff depth         24.697      57.114      37.016      mm"
"        Runoff volume        39.81      56.43      96.24      c.m"
"        Runoff coefficient    0.390      0.916      0.590      "
"        Maximum flow         0.013      0.036      0.038      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"        4   Add Runoff "
"        0.038   0.038   0.149   0.452"
" 40      HYDROGRAPH Copy to Outflow"
"        8   Copy to Outflow"
"        0.038   0.038   0.038   0.452"
" 40      HYDROGRAPH   Combine   1"
"        6   Combine   "
"        1   Node #"
"
"        Maximum flow           0.488   c.m/sec"
"        Hydrograph volume       1193.301   c.m"
"        0.038   0.038   0.038   0.488"
" 40      HYDROGRAPH   Confluence 1"
"        7   Confluence "
"        1   Node #"

```

```

"          A6814A_50yr_Pond_75mm_orifice_v3a.out
"
"          Maximum flow          0.488      c.m/sec"
"          Hydrograph volume     1193.301   c.m"
"          0.038      0.488      0.038      0.000"
" 54      POND DESIGN"
"          0.488      Current peak flow      c.m/sec"
"          0.233      Target outflow      c.m/sec"
"          1200.0      Hydrograph volume      c.m"
"          14.      Number of stages"
"          401.250      Minimum water level      metre"
"          402.550      Maximum water level      metre"
"          401.250      Starting water level      metre"
"          0      Keep Design Data: 1 = True; 0 = False"
"          Level Discharge      Volume"
"          401.250      0.000      0.0"
"          401.350      0.004      27.3"
"          401.450      0.005      76.4"
"          401.550      0.006      130.2"
"          401.650      0.007      188.9"
"          401.750      0.008      252.7"
"          401.850      0.009      321.7"
"          401.950      0.010      396.1"
"          402.050      0.010      476.1"
"          402.150      0.011      561.7"
"          402.250      0.065      653.2"
"          402.350      0.137      750.7"
"          402.450      0.143      854.3"
"          402.550      0.455      963.0"
"          Peak outflow          0.115      c.m/sec"
"          Maximum level         402.319      metre"
"          Maximum storage       720.769      c.m"
"          Centroidal lag        7.517      hours"
"          0.038      0.488      0.115      0.000 c.m/sec"
" 40      HYDROGRAPH      Combine      2"
"          6      Combine "
"          2      Node #"
"          "
"          Maximum flow          0.115      c.m/sec"
"          Hydrograph volume     1180.367   c.m"
"          0.038      0.488      0.115      0.115"
" 40      HYDROGRAPH Start - New Tributary"
"          2      Start - New Tributary"
"          0.038      0.000      0.115      0.115"
" 33      CATCHMENT 211"
"          1      Triangular SCS"
"          1      Equal length"
"          1      SCS method"
"          211      No description"
"          40.000      % Impervious"
"          0.260      Total Area"
"          47.000      Flow length"
"          2.500      Overland Slope"
"          0.156      Pervious Area"
"          47.000      Pervious length"
"          2.500      Pervious slope"
"          0.104      Impervious Area"
"          47.000      Impervious length"
"          2.500      Impervious slope"
"          0.250      Pervious Manning 'n'"
"          78.000      Pervious SCS Curve No."
"          0.390      Pervious Runoff coefficient"
"          0.100      Pervious Ia/S coefficient"
"          7.164      Pervious Initial abstraction"

```

```

A6814A_50yr_Pond_75mm orifice_v3a.out
" 0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
" 0.916 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.040 0.000 0.115 0.115 c.m/sec"
" Catchment 211 Pervious Impervious Total Area "
" Surface Area 0.156 0.104 0.260 hectare"
" Time of concentration 17.744 2.252 8.346 minutes"
" Time to Centroid 120.473 89.764 101.845 minutes"
" Rainfall depth 63.385 63.385 63.385 mm"
" Rainfall volume 98.88 65.92 164.80 c.m"
" Rainfall losses 38.674 6.226 25.695 mm"
" Runoff depth 24.711 57.160 37.691 mm"
" Runoff volume 38.55 59.45 98.00 c.m"
" Runoff coefficient 0.390 0.916 0.601 "
" Maximum flow 0.013 0.038 0.040 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.040 0.040 0.115 0.115"
" 40 HYDROGRAPH Copy to Outflow"
" 8 Copy to Outflow"
" 0.040 0.040 0.040 0.115"
" 40 HYDROGRAPH Combine 2"
" 6 Combine "
" 2 Node #"
" "
" Maximum flow 0.123 c.m/sec"
" Hydrograph volume 1278.362 c.m"
" 0.040 0.040 0.040 0.123"
" 40 HYDROGRAPH Confluence 2"
" 7 Confluence "
" 2 Node #"
" "
" Maximum flow 0.123 c.m/sec"
" Hydrograph volume 1278.362 c.m"
" 0.040 0.123 0.040 0.000"

```

```

A6814A_100yr_Pond_75mm orifice_v3a.out
"      MIDUSS Output ----->"
"      MIDUSS version                      Version 2.07 rev. 385"
"      MIDUSS created                      August-08-05"
"      10 Units used:                      ie METRIC"
"      Job folder:                        O:\Private Development\
"      A6814A - Sinclair Subdivision\Design\Storm\SWM\MIDUSS JULY 2017"
"      Output filename:                    A6814A_100yr_Pond_100mm orifice_v3a.out"
"      Licensee name:                      CPC"
"      Company                            Triton Engineering Services Ltd."
"      Date & Time last used:              20/07/2017 at 2:57:27 PM"
" 31      TIME PARAMETERS"
"          5.000 Time Step"
"          180.000 Max. Storm length"
"          1500.000 Max. Hydrograph"
" 32      STORM Chicago storm"
"          1 Chicago storm"
"          1780.100 Coefficient A"
"          11.090 Constant B"
"          0.828 Exponent C"
"          0.400 Fraction R"
"          180.000 Duration"
"          1.000 Time step multiplier"
"          Maximum intensity                178.409 mm/hr"
"          Total depth                      68.976 mm"
"          6 100hyd Hydrograph extension used in this file"
" 33      CATCHMENT 200"
"          1 Triangular SCS"
"          1 Equal length"
"          1 SCS method"
"          200 No description"
"          43.000 % Impervious"
"          0.520 Total Area"
"          55.000 Flow length"
"          1.000 Overland Slope"
"          0.296 Pervious Area"
"          55.000 Pervious length"
"          1.000 Pervious slope"
"          0.224 Impervious Area"
"          55.000 Impervious length"
"          1.000 Impervious slope"
"          0.250 Pervious Manning 'n'"
"          78.000 Pervious SCS Curve No."
"          0.415 Pervious Runoff coefficient"
"          0.100 Pervious Ia/S coefficient"
"          7.164 Pervious Initial abstraction"
"          0.015 Impervious Manning 'n'"
"          98.000 Impervious SCS Curve No."
"          0.923 Impervious Runoff coefficient"
"          0.100 Impervious Ia/S coefficient"
"          0.518 Impervious Initial abstraction"
"          0.088 0.000 0.000 0.000 c.m/sec"
"          Catchment 200 Pervious Impervious Total Area "
"          Surface Area 0.296 0.224 0.520 hectare"
"          Time of concentration 24.086 3.148 11.056 minutes"
"          Time to Centroid 128.308 90.952 105.061 minutes"
"          Rainfall depth 68.976 68.976 68.976 mm"
"          Rainfall volume 204.45 154.23 358.68 c.m"
"          Rainfall losses 40.357 6.468 25.785 mm"
"          Runoff depth 28.619 62.508 43.191 mm"
"          Runoff volume 84.83 139.77 224.60 c.m"
"          Runoff coefficient 0.415 0.923 0.633 "
"          Maximum flow 0.024 0.083 0.088 c.m/sec"
" 40      HYDROGRAPH Add Runoff "

```

```

A6814A_100yr_Pond_75mm orifice_v3a.out
"      4  Add Runoff "
"      0.088      0.088      0.000      0.000"
" 33    CATCHMENT 201"
"      1  Triangular SCS"
"      1  Equal length"
"      1  SCS method"
"      201 No description"
"      48.000 % Impervious"
"      0.460 Total Area"
"      56.000 Flow length"
"      0.600 Overland Slope"
"      0.239 Pervious Area"
"      56.000 Pervious length"
"      0.600 Pervious slope"
"      0.221 Impervious Area"
"      56.000 Impervious length"
"      0.600 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.415 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
"      98.000 Impervious SCS Curve No."
"      0.923 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"      0.087      0.088      0.000      0.000 c.m/sec"
"      Catchment 201      Pervious      Impervious      Total Area "
"      Surface Area      0.239      0.221      0.460      hectare"
"      Time of concentration      28.381      3.710      11.894      minutes"
"      Time to Centroid      133.831      91.809      105.750      minutes"
"      Rainfall depth      68.976      68.976      68.976      mm"
"      Rainfall volume      164.99      152.30      317.29      c.m"
"      Rainfall losses      40.368      6.549      24.135      mm"
"      Runoff depth      28.608      62.427      44.841      mm"
"      Runoff volume      68.43      137.84      206.27      c.m"
"      Runoff coefficient      0.415      0.923      0.659      "
"      Maximum flow      0.018      0.082      0.087      c.m/sec"
" 40    HYDROGRAPH Add Runoff "
"      4  Add Runoff "
"      0.087      0.175      0.000      0.000"
" 33    CATCHMENT 202"
"      1  Triangular SCS"
"      1  Equal length"
"      1  SCS method"
"      202 No description"
"      42.000 % Impervious"
"      0.410 Total Area"
"      54.000 Flow length"
"      0.600 Overland Slope"
"      0.238 Pervious Area"
"      54.000 Pervious length"
"      0.600 Pervious slope"
"      0.172 Impervious Area"
"      54.000 Impervious length"
"      0.600 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.415 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"

```

```

A6814A_100yr_Pond_75mm orifice_v3a.out
" 98.000 Impervious SCS Curve No."
" 0.923 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.069 0.175 0.000 0.000 c.m/sec"
" Catchment 202 Pervious Impervious Total Area "
" Surface Area 0.238 0.172 0.410 hectare"
" Time of concentration 27.768 3.630 12.993 minutes"
" Time to Centroid 133.029 91.699 107.731 minutes"
" Rainfall depth 68.976 68.976 68.976 mm"
" Rainfall volume 164.03 118.78 282.80 c.m"
" Rainfall losses 40.367 6.635 26.200 mm"
" Runoff depth 28.609 62.341 42.777 mm"
" Runoff volume 68.03 107.35 175.38 c.m"
" Runoff coefficient 0.415 0.923 0.628 "
" Maximum flow 0.018 0.064 0.069 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.069 0.244 0.000 0.000"
" 33 CATCHMENT 204"
" 1 Triangular SCS"
" 1 Equal length"
" 1 SCS method"
" 204 No description"
" 30.000 % Impervious"
" 0.240 Total Area"
" 35.000 Flow length"
" 2.000 Overland Slope"
" 0.168 Pervious Area"
" 35.000 Pervious length"
" 2.000 Pervious slope"
" 0.072 Impervious Area"
" 35.000 Impervious length"
" 2.000 Impervious slope"
" 0.250 Pervious Manning 'n'"
" 78.000 Pervious SCS Curve No."
" 0.415 Pervious Runoff coefficient"
" 0.100 Pervious Ia/S coefficient"
" 7.164 Pervious Initial abstraction"
" 0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
" 0.923 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.034 0.244 0.000 0.000 c.m/sec"
" Catchment 204 Pervious Impervious Total Area "
" Surface Area 0.168 0.072 0.240 hectare"
" Time of concentration 14.917 1.950 8.638 minutes"
" Time to Centroid 116.524 89.092 103.240 minutes"
" Rainfall depth 68.976 68.976 68.976 mm"
" Rainfall volume 115.88 49.66 165.54 c.m"
" Rainfall losses 40.366 6.292 30.144 mm"
" Runoff depth 28.610 62.684 38.832 mm"
" Runoff volume 48.07 45.13 93.20 c.m"
" Runoff coefficient 0.415 0.923 0.567 "
" Maximum flow 0.018 0.029 0.034 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.034 0.278 0.000 0.000"
" 33 CATCHMENT 203"
" 1 Triangular SCS"
" 1 Equal length"
" 1 SCS method"

```

A6814A_100yr_Pond_75mm_orifice_v3a.out

```

"      203    No description"
"      52.000 % Impervious"
"      0.280 Total Area"
"      47.000 Flow length"
"      0.800 Overland Slope"
"      0.134 Pervious Area"
"      47.000 Pervious length"
"      0.800 Pervious slope"
"      0.146 Impervious Area"
"      47.000 Impervious length"
"      0.800 Impervious slope"
"      0.250 Pervious Manning 'n'"
"      78.000 Pervious SCS Curve No."
"      0.415 Pervious Runoff coefficient"
"      0.100 Pervious Ia/S coefficient"
"      7.164 Pervious Initial abstraction"
"      0.015 Impervious Manning 'n'"
"      98.000 Impervious SCS Curve No."
"      0.923 Impervious Runoff coefficient"
"      0.100 Impervious Ia/S coefficient"
"      0.518 Impervious Initial abstraction"
"      0.056      0.278      0.000      0.000 c.m/sec"
"      Catchment 203      Pervious      Impervious      Total Area "
"      Surface Area      0.134      0.146      0.280      hectare"
"      Time of concentration      23.436      3.063      9.118      minutes"
"      Time to Centroid      127.468      90.833      101.720      minutes"
"      Rainfall depth      68.976      68.976      68.976      mm"
"      Rainfall volume      92.70      100.43      193.13      c.m"
"      Rainfall losses      40.361      6.510      22.759      mm"
"      Runoff depth      28.615      62.467      46.218      mm"
"      Runoff volume      38.46      90.95      129.41      c.m"
"      Runoff coefficient      0.415      0.923      0.679      "
"      Maximum flow      0.011      0.054      0.056      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.056      0.333      0.000      0.000"
" 40      HYDROGRAPH Copy to Outflow"
"      8      Copy to Outflow"
"      0.056      0.333      0.333      0.000"
" 40      HYDROGRAPH Combine 1"
"      6      Combine "
"      1      Node #"
"      "
"      Maximum flow      0.333      c.m/sec"
"      Hydrograph volume      828.856      c.m"
"      0.056      0.333      0.333      0.333"
" 40      HYDROGRAPH Start - New Tributary"
"      2      Start - New Tributary"
"      0.056      0.000      0.333      0.333"
" 33      CATCHMENT 205"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      205    No description"
"      39.000 % Impervious"
"      0.320 Total Area"
"      74.000 Flow length"
"      0.800 Overland Slope"
"      0.195 Pervious Area"
"      74.000 Pervious length"
"      0.800 Pervious slope"
"      0.125 Impervious Area"
"      74.000 Impervious length"

```

```

A6814A_100yr_Pond_75mm_orifice_v3a.out
"      0.800    Impervious slope"
"      0.250    Pervious Manning 'n'"
"    78.000    Pervious SCS Curve No."
"      0.415    Pervious Runoff coefficient"
"      0.100    Pervious Ia/S coefficient"
"      7.164    Pervious Initial abstraction"
"      0.015    Impervious Manning 'n'"
"    98.000    Impervious SCS Curve No."
"      0.923    Impervious Runoff coefficient"
"      0.100    Impervious Ia/S coefficient"
"      0.518    Impervious Initial abstraction"
"          0.051      0.000      0.333      0.333 c.m/sec"
"      Catchment 205      Pervious      Impervious      Total Area  "
"      Surface Area      0.195      0.125      0.320      hectare"
"      Time of concentration  30.773      4.022      15.148      minutes"
"      Time to Centroid      136.896      92.217      110.799      minutes"
"      Rainfall depth      68.976      68.976      68.976      mm"
"      Rainfall volume      134.64      86.08      220.72      c.m"
"      Rainfall losses      40.356      6.110      27.000      mm"
"      Runoff depth      28.620      62.867      41.976      mm"
"      Runoff volume      55.87      78.46      134.32      c.m"
"      Runoff coefficient      0.415      0.923      0.613      "
"      Maximum flow      0.014      0.047      0.051      c.m/sec"
40  HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"          0.051      0.051      0.333      0.333"
33  CATCHMENT 206"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      206      No description"
"      5.000      % Impervious"
"      0.210      Total Area"
"    12.000      Flow length"
"      2.000      Overland Slope"
"      0.199      Pervious Area"
"    12.000      Pervious length"
"      2.000      Pervious slope"
"      0.010      Impervious Area"
"    12.000      Impervious length"
"      2.000      Impervious slope"
"      0.250      Pervious Manning 'n'"
"    78.000      Pervious SCS Curve No."
"      0.415      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"
"      0.015      Impervious Manning 'n'"
"    98.000      Impervious SCS Curve No."
"      0.923      Impervious Runoff coefficient"
"      0.100      Impervious Ia/S coefficient"
"      0.518      Impervious Initial abstraction"
"          0.032      0.051      0.333      0.333 c.m/sec"
"      Catchment 206      Pervious      Impervious      Total Area  "
"      Surface Area      0.199      0.010      0.210      hectare"
"      Time of concentration  7.848      1.026      7.151      minutes"
"      Time to Centroid      107.481      87.691      105.459      minutes"
"      Rainfall depth      68.976      68.976      68.976      mm"
"      Rainfall volume      137.61      7.24      144.85      c.m"
"      Rainfall losses      40.453      7.290      38.795      mm"
"      Runoff depth      28.524      61.686      30.182      mm"
"      Runoff volume      56.90      6.48      63.38      c.m"
"      Runoff coefficient      0.415      0.923      0.440      "
"      Maximum flow      0.029      0.004      0.032      c.m/sec"

```

A6814A_100yr_Pond_75mm_orifice_v3a.out

```

" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.032      0.083      0.333      0.333"
" 33      CATCHMENT 207"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      207      No description"
"      51.000      % Impervious"
"      0.240      Total Area"
"      71.000      Flow length"
"      0.800      Overland Slope"
"      0.118      Pervious Area"
"      71.000      Pervious length"
"      0.800      Pervious slope"
"      0.122      Impervious Area"
"      71.000      Impervious length"
"      0.800      Impervious slope"
"      0.250      Pervious Manning 'n'"
"      78.000      Pervious SCS Curve No."
"      0.415      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"
"      0.015      Impervious Manning 'n'"
"      98.000      Impervious SCS Curve No."
"      0.923      Impervious Runoff coefficient"
"      0.100      Impervious Ia/S coefficient"
"      0.518      Impervious Initial abstraction"
"      0.048      0.083      0.333      0.333 c.m/sec"
"      Catchment 207      Pervious      Impervious      Total Area      "
"      Surface Area      0.118      0.122      0.240      hectare"
"      Time of concentration      30.018      3.924      11.871      minutes"
"      Time to Centroid      135.925      92.087      105.439      minutes"
"      Rainfall depth      68.976      68.976      68.976      mm"
"      Rainfall volume      81.12      84.43      165.54      c.m"
"      Rainfall losses      40.364      6.210      22.946      mm"
"      Runoff depth      28.612      62.766      46.031      mm"
"      Runoff volume      33.65      76.83      110.47      c.m"
"      Runoff coefficient      0.415      0.923      0.674      "
"      Maximum flow      0.008      0.046      0.048      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"      0.048      0.131      0.333      0.333"
" 33      CATCHMENT 208"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      208      No description"
"      45.000      % Impervious"
"      0.180      Total Area"
"      45.000      Flow length"
"      0.800      Overland Slope"
"      0.099      Pervious Area"
"      45.000      Pervious length"
"      0.800      Pervious slope"
"      0.081      Impervious Area"
"      45.000      Impervious length"
"      0.800      Impervious slope"
"      0.250      Pervious Manning 'n'"
"      78.000      Pervious SCS Curve No."
"      0.415      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"

```

A6814A_100yr_Pond_75mm orifice_v3a.out

```

"      0.015  Impervious Manning 'n'"
"  98.000  Impervious SCS Curve No."
"      0.923  Impervious Runoff coefficient"
"      0.100  Impervious Ia/S coefficient"
"      0.518  Impervious Initial abstraction"
"          0.032      0.131      0.333      0.333 c.m/sec"
"      Catchment 208      Pervious      Impervious      Total Area  "
"      Surface Area      0.099      0.081      0.180      hectare"
"      Time of concentration      22.833      2.984      10.109      minutes"
"      Time to Centroid      126.698      90.715      103.631      minutes"
"      Rainfall depth      68.976      68.976      68.976      mm"
"      Rainfall volume      68.29      55.87      124.16      c.m"
"      Rainfall losses      40.380      6.556      25.159      mm"
"      Runoff depth      28.597      62.421      43.817      mm"
"      Runoff volume      28.31      50.56      78.87      c.m"
"      Runoff coefficient      0.415      0.923      0.643      "
"      Maximum flow      0.008      0.030      0.032      c.m/sec"
"  40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"          0.032      0.163      0.333      0.333"
"  33      CATCHMENT 209"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      209      No description"
"  80.000      % Impervious"
"      0.020      Total Area"
"  10.000      Flow length"
"      0.500      Overland Slope"
"      0.004      Pervious Area"
"  10.000      Pervious length"
"      0.500      Pervious slope"
"      0.016      Impervious Area"
"  10.000      Impervious length"
"      0.500      Impervious slope"
"      0.250      Pervious Manning 'n'"
"  78.000      Pervious SCS Curve No."
"      0.415      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"
"      0.015      Impervious Manning 'n'"
"  98.000      Impervious SCS Curve No."
"      0.923      Impervious Runoff coefficient"
"      0.100      Impervious Ia/S coefficient"
"      0.518      Impervious Initial abstraction"
"          0.007      0.163      0.333      0.333 c.m/sec"
"      Catchment 209      Pervious      Impervious      Total Area  "
"      Surface Area      0.004      0.016      0.020      hectare"
"      Time of concentration      10.663      1.394      2.343      minutes"
"      Time to Centroid      111.044      88.311      90.639      minutes"
"      Rainfall depth      68.976      68.976      68.976      mm"
"      Rainfall volume      2.76      11.04      13.80      c.m"
"      Rainfall losses      40.418      6.397      13.201      mm"
"      Runoff depth      28.558      62.579      55.775      mm"
"      Runoff volume      1.14      10.01      11.15      c.m"
"      Runoff coefficient      0.415      0.923      0.821      "
"      Maximum flow      0.001      0.007      0.007      c.m/sec"
"  40      HYDROGRAPH Add Runoff "
"      4      Add Runoff "
"          0.007      0.168      0.333      0.333"
"  40      HYDROGRAPH Copy to Outflow"
"      8      Copy to Outflow"
"          0.007      0.168      0.168      0.333"

```

```

A6814A_100yr_Pond_75mm_orifice_v3a.out
" 40      HYDROGRAPH   Combine   1"
"          6   Combine  "
"          1   Node #"
"          "
"          Maximum flow           0.501      c.m/sec"
"          Hydrograph volume      1227.062    c.m"
"          0.007      0.168      0.168      0.501"
" 40      HYDROGRAPH Start - New Tributary"
"          2   Start - New Tributary"
"          0.007      0.000      0.168      0.501"
" 33      CATCHMENT 210"
"          1   Triangular SCS"
"          1   Equal length"
"          1   SCS method"
"          210  No description"
"          38.000 % Impervious"
"          0.260  Total Area"
"          22.000 Flow length"
"          0.500  Overland Slope"
"          0.161  Pervious Area"
"          22.000 Pervious length"
"          0.500  Pervious slope"
"          0.099  Impervious Area"
"          22.000 Impervious length"
"          0.500  Impervious slope"
"          0.250  Pervious Manning 'n'"
"          78.000 Pervious SCS Curve No."
"          0.415  Pervious Runoff coefficient"
"          0.100  Pervious Ia/S coefficient"
"          7.164  Pervious Initial abstraction"
"          0.015  Impervious Manning 'n'"
"          98.000 Impervious SCS Curve No."
"          0.923  Impervious Runoff coefficient"
"          0.100  Impervious Ia/S coefficient"
"          0.518  Impervious Initial abstraction"
"          0.042      0.000      0.168      0.501 c.m/sec"
"          Catchment 210      Pervious      Impervious      Total Area  "
"          Surface Area      0.161      0.099      0.260      hectare"
"          Time of concentration 17.113      2.237      8.587      minutes"
"          Time to Centroid      119.339      89.563      102.274      minutes"
"          Rainfall depth      68.976      68.976      68.976      mm"
"          Rainfall volume      111.19      68.15      179.34      c.m"
"          Rainfall losses      40.379      6.331      27.441      mm"
"          Runoff depth      28.598      62.645      41.536      mm"
"          Runoff volume      46.10      61.89      107.99      c.m"
"          Runoff coefficient      0.415      0.923      0.608      "
"          Maximum flow      0.016      0.039      0.042      c.m/sec"
" 40      HYDROGRAPH Add Runoff "
"          4   Add Runoff "
"          0.042      0.042      0.168      0.501"
" 40      HYDROGRAPH Copy to Outflow"
"          8   Copy to Outflow"
"          0.042      0.042      0.042      0.501"
" 40      HYDROGRAPH   Combine   1"
"          6   Combine  "
"          1   Node #"
"          "
"          Maximum flow           0.542      c.m/sec"
"          Hydrograph volume      1335.055    c.m"
"          0.042      0.042      0.042      0.542"
" 40      HYDROGRAPH Confluence 1"
"          7   Confluence "
"          1   Node #"

```

A6814A_100yr_Pond_75mm_orifice_v3a.out

```



"
"
"      Maximum flow      0.542      c.m/sec"
"      Hydrograph volume 1335.055  c.m"
"      0.042      0.542      0.042      0.000"
" 54  POND DESIGN"
"      0.542      Current peak flow      c.m/sec"
"      0.233      Target outflow      c.m/sec"
"      1340.0      Hydrograph volume      c.m"
"      14.      Number of stages"
"      401.250      Minimum water level      metre"
"      402.550      Maximum water level      metre"
"      401.250      Starting water level      metre"
"      0      Keep Design Data: 1 = True; 0 = False"
"      Level Discharge      Volume"
"      401.250      0.000      0.0"
"      401.350      0.004      27.3"
"      401.450      0.005      76.4"
"      401.550      0.006      130.2"
"      401.650      0.007      188.9"
"      401.750      0.008      252.7"
"      401.850      0.009      321.7"
"      401.950      0.010      396.1"
"      402.050      0.010      476.1"
"      402.150      0.011      561.7"
"      402.250      0.065      653.2"
"      402.350      0.137      750.7"
"      402.450      0.143      854.3"
"      402.550      0.455      963.0"
"      Peak outflow      0.138      c.m/sec"
"      Maximum level      402.364      metre"
"      Maximum storage      765.464      c.m"
"      Centroidal lag      6.957      hours"
"      0.042      0.542      0.138      0.000 c.m/sec"
" 40  HYDROGRAPH      Combine      2"
"      6      Combine "
"      2      Node #"
"
"      Maximum flow      0.138      c.m/sec"
"      Hydrograph volume 1322.292  c.m"
"      0.042      0.542      0.138      0.138"
" 40  HYDROGRAPH Start - New Tributary"
"      2      Start - New Tributary"
"      0.042      0.000      0.138      0.138"
" 33  CATCHMENT 211"
"      1      Triangular SCS"
"      1      Equal length"
"      1      SCS method"
"      211      No description"
"      40.000      % Impervious"
"      0.260      Total Area"
"      47.000      Flow length"
"      2.500      Overland Slope"
"      0.156      Pervious Area"
"      47.000      Pervious length"
"      2.500      Pervious slope"
"      0.104      Impervious Area"
"      47.000      Impervious length"
"      2.500      Impervious slope"
"      0.250      Pervious Manning 'n'"
"      78.000      Pervious SCS Curve No."
"      0.415      Pervious Runoff coefficient"
"      0.100      Pervious Ia/S coefficient"
"      7.164      Pervious Initial abstraction"

```

```

A6814A_100yr_Pond_75mm orifice_v3a.out
" 0.015 Impervious Manning 'n'"
" 98.000 Impervious SCS Curve No."
" 0.923 Impervious Runoff coefficient"
" 0.100 Impervious Ia/S coefficient"
" 0.518 Impervious Initial abstraction"
" 0.044 0.000 0.138 0.138 c.m/sec"
" Catchment 211 Pervious Impervious Total Area "
" Surface Area 0.156 0.104 0.260 hectare"
" Time of concentration 16.651 2.176 8.052 minutes"
" Time to Centroid 118.774 89.470 101.366 minutes"
" Rainfall depth 68.976 68.976 68.976 mm"
" Rainfall volume 107.60 71.74 179.34 c.m"
" Rainfall losses 40.420 6.289 26.767 mm"
" Runoff depth 28.557 62.688 42.209 mm"
" Runoff volume 44.55 65.20 109.74 c.m"
" Runoff coefficient 0.415 0.923 0.618 "
" Maximum flow 0.016 0.041 0.044 c.m/sec"
" 40 HYDROGRAPH Add Runoff "
" 4 Add Runoff "
" 0.044 0.044 0.138 0.138"
" 40 HYDROGRAPH Copy to Outflow"
" 8 Copy to Outflow"
" 0.044 0.044 0.044 0.138"
" 40 HYDROGRAPH Combine 2"
" 6 Combine "
" 2 Node #"
" "
" Maximum flow 0.151 c.m/sec"
" Hydrograph volume 1432.036 c.m"
" 0.044 0.044 0.044 0.151"
" 40 HYDROGRAPH Confluence 2"
" 7 Confluence "
" 2 Node #"
" "
" Maximum flow 0.151 c.m/sec"
" Hydrograph volume 1432.036 c.m"
" 0.044 0.151 0.044 0.000"

```



- LOT GRADING NOTES:**
1. LIGHT DUTY SILT FENCE BARRIER PER OPSD 219.110 OR APPROVED EQUIVALENT TO BE INSTALLED AND MAINTAINED TO PREVENT SILT FLOWING ONTO ADJACENT LANDS.
 2. SILTATION CONTROL METHODS SHALL BE ERECTED PRIOR TO ANY GRADING OR CONSTRUCTION AND SHALL BE MAINTAINED IN GOOD REPAIR THROUGHOUT THE CONSTRUCTION AND GRADING PHASES.
 3. TOPSOIL SHALL BE PLACED TO A MINIMUM THICKNESS OF 150mm AND SHALL BE FREE OF DEBRIS AND CORBLES.
 4. MAXIMUM SIDE SLOPES ON SWALES SHOULD BE 3 HORIZONTAL TO 1 VERTICAL. ALL SWALES MUST HAVE A MAXIMUM DEPTH OF 150mm.
 5. SIDE YARD SWALES WITHIN THE DEVELOPMENT ARE TO BE CENTERED ON PROPERTY LINES. SWALES ABUTTING ADJACENT PROPERTIES TO THE DEVELOPMENT ARE TO BE CONSTRUCTED ENTIRELY WITHIN THE DEVELOPMENT LANDS.
 6. MAXIMUM SLOPES OF ALL EMBANKMENTS SHOULD BE 3 HORIZONTAL TO 1 VERTICAL.
 7. MAXIMUM SLOPES ON LOTS SHALL BE 8%.
 8. DRIVEWAY SLOPES SHALL BE BETWEEN 2% AND 6%.
 9. ROOF LEADERS SHALL BE DIRECTED TO OUTLET TO THE SURFACE FOR ALL LOTS.

- LEGEND:**
- EXISTING SPOT ELEVATION
 - EXISTING CONTOUR
 - PROPOSED GRADE
 - FLOW DIRECTION AND SLOPE
 - REAR YARD SWALE
 - REAR YARD CULVERT INLET
 - MAXIMUM 3:1 SLOPE
 - T.F. TOP OF FOUNDATION
 - U.F. UNDERSIDE OF FOOTING
 - G.W. ANTICIPATED GROUND WATER ELEV
 - W/O WALK OUT LOT
 - L/O LOOK OUT LOT

NOTES THE LOCATION OF UTILITIES IS APPROXIMATE ONLY AND SHOULD BE DETERMINED BY CONSULTING THE MUNICIPAL AUTHORITIES AND UTILITY COMPANIES CONCERNED. THE CONTRACTOR SHALL PROVE THE LOCATION OF UTILITIES AND SHALL BE RESPONSIBLE FOR ADEQUATE PROTECTION AGAINST DAMAGE.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

ASTRID J. CLOS

PLANNING CONSULTANTS

423 Woolwich Street, Suite 201
Guelph , Ontario N1H 3X3
Email: astrid.dos@ajcplanning.ca
Phone: (519) 836-7526 (836-PLAN)


REVISION TO
DRAFT PLAN OF SUBDIVISION
23T-90021
CLAIR RIDGE ESTATES

DATE: MAY 12, 2017

DRAWN BY : G.K.S.

PROJECT No. 1326

SCALE:1: 500



KEY MAP NOT TO SCALE

LEGAL DESCRIPTION

PART OF PARK LOTS 16, 17 AND 18
WESTERN CANADA LOAN AND
SAVINGS COMPANY PLAN
GEOGRAPHIC TOWN OF PALMERSTON
TOWN OF MINTO
COUNTY OF WELLINGTON

NOTES

1. TOPOGRAPHIC INFORMATION PROVIDED BY TRITON ENGINEERING SERVICES LIMITED JUNE 12, 2015
2. ZONING - R18 RESIDENTIAL ZONE
3. LOT AREA MINIMUM = 650.3m²
LOT FRONTAGE MINIMUM = 20.1m
FRONT YARD MINIMUM = 6m
REAR YARD MINIMUM = 7.6m

LAND USE SCHEDULE

DESCRIPTION	LOTS/BLOCKS	UNITS	AREA (ha.)
Single Detached Residential 20.1m	1-28	28	2.118
Stormwater Management	29	-	0.263
Roads			0.905
TOTAL	29	28	3.286ha

ADDITIONAL INFORMATION

(UNDER SECTION 51(17) OF THE PLANNING ACT)
INFORMATION REQUIRED BY CLAUSES a,b,c,d,e,f,g,j and l ARE AS SHOWN ON DRAFT PLAN.
h) Municipal Water
i) Silty Sand
k) Municipal Sewer

OWNER'S CERTIFICATE

I AUTHORIZE ASTRID J. CLOS, PLANNING CONSULTANTS TO PREPARE AND SUBMIT THIS DRAFT PLAN OF SUBDIVISION.

DAN SINCLAIR
CLAIR RIDGE ESTATES LIMITED

DATE

SURVEYOR'S CERTIFICATE

I CERTIFY THAT THE BOUNDARIES OF THE LAND TO BE SUBDIVIDED AND THEIR RELATIONSHIP TO THE ADJACENT LANDS ARE CORRECTLY SHOWN.

JAMES M. LAWS, O.L.S.
Van Harten Surveying Inc.

DATE